


CONTENTS


一、	Group Introduction	
	Group introduction -----	001
	Project cases -----	003
二、	Four CEO Spaces	
	Haorui series -----	007
	Mulsanne series -----	019
	Field series -----	033
	Leyu series -----	043
三、	Paint CEO Space	
	Extreme series -----	063
	Mingshi series -----	079
四、	New Chinese-style President Space	
	Hongtai series -----	090
五、	Executive/Supervisor/Staff Space	
	Roland series-----	103
	Yogurt series -----	119
	Peter series-----	137
	Style series -----	157
	Bentley series -----	175
	Oak series -----	189
	Bliss series-----	215
六、	Paint Series -----	229
七、	Office Chair	
	Leather chair series -----	253
	Mesh chair series -----	267
八、	Training Table And Chair Series -----	287
九、	Public Space -----	305

HRO

「 Haorui Series 」

Light luxury and elegant style, the thin-edged curved panel and side feet blend softly, gracefully and yet calmly. The Haorui series adopts the concept of "light fashion, unobtrusive" to highlight the user's unique taste and style of life and work attitude.





Boss Table

- | Model | Size |
|--------------|------------------|
| HRO-DEA-3224 | 3200W*2400D*760H |
| HRO-DEA-2824 | 2800W*2400D*760H |
- Configuration instructions: Thai gray oak + coffee gray
 (Standard equipped with power track socket, attached cabinets for left and right, with fingerprint lock and boutique box)
1. Veneer material: Thai gray veneer, thickness 0.6mm
 2. Edge banding material: the same veneer edge banding as veneer;
 3. Base material: "Shangsi Hualin" E0 grade high-density board;
 4. Paint: The topcoat is "Huarun" PU polyester paint;
 5. Hardware accessories: Bogvis brand buffer rail, NOVEI buffer door hinge;
 table top with black brushed wiring box; with fingerprint lock, power rail socket



The private storage drawer is used to store the owner's private items in separate compartments, which is user-friendly.



The attached table has ample storage space to store various documents and items, and the drawers are equipped with smart fingerprint locks to ensure the safety of business information documents and items.



Effective planning and layout, rational use of space, suitable for placing large items such as computer hosts.




Convenient power rails improve office efficiency.



Hidden handle cabinet door, fashionable and exquisite.

The storage compartments and spaces are reasonably distributed, and the wooden door has a built-in clothes rail.


The filing cabinet is equipped with a sliding glass shelf, which, when combined with the hidden light strip equipped with the decorative grid, supplements the light source inside the cabinet and makes the cabinet look and feel more layered.



Filing Cabinet

Model Size
HRO-CAA-3620 | 3600W*530D*2050H
Configuration instructions: Thai gray oak + coffee gray

1. Veneer material: Thai gray veneer, thickness 0.6mm
2. Edge banding material: the same veneer as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: The topcoat is "Huarun" PU polyester paint;
5. Hardware accessories: Austrian imported Blum brand push-button guide rails or German imported BMB brand buffer guide rails, BMB buffer door hinges; Opek flagship No. 5 buffer sliding door accessories; countertops with black brushed wiring box and black brushed decorative aluminum plate; hidden wiring function; file cabinets with LED clothes hangers and other accessories




Tea Table

Model

Size

HRO-CTA-1407 | 1400W*700D*400H

1. Veneer material: Thai gray veneer, thickness 0.6mm
2. Edge banding material: the same veneer edge banding as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: The topcoat is "Huarun" PU polyester paint;
5. Hardware accessories: Austrian imported Blum brand push-button guide rails or German imported BMB brand buffer guide rails, BMB buffer door hinges; Opek flagship No. 5 buffer sliding door accessories;



Tea Table

Model

Size


HRO-CTA-0707 | 700W*700D*400H

Configuration instructions: Thai gray oak + coffee gray

1. Veneer material: Thai gray veneer, thickness 0.6mm
2. Edge banding material: the same veneer edge banding as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: The topcoat is "Huarun" PU polyester paint;
5. Hardware accessories: Austrian imported Blum brand push-button guide rails or German imported BMB brand buffer guide rails, BMB buffer door hinges; Opek flagship No. 5 buffer sliding door accessories;



Hidden drawer



Conference Table

- | Model | Size |
|---|------|
| HRO-MTA-2712 2700W*1200D*760H | |
| Configuration instructions: Thai gray oak + coffee gray | |
| 1. Veneer material: Thai gray veneer, thickness 0.6mm | |
| 2. Edge banding material: the same veneer edge banding as veneer; | |
| 3. Base material: "Shangsi Hualin" E0 grade high-density board; | |
| 4. Paint: The topcoat is "Huarun" PU polyester paint; | |
| 5. Hardware accessories: Austrian imported Blum brand push-button guide rails or German imported BMB brand buffer guide rails, BMB buffer door hinges; Opek flagship No. 5 buffer sliding door accessories; | |

Colour



oak gray



cyan



coffee ash





starry sky gray

MSO

「Mulsanne Series」

The stars and rivers are brilliant, and the dream is enlightening the nine states; the divine boat is soaring, and we are forging ahead. The creativity of the Mulsanne series comes from the spaceship. The oversized L-shaped combined table top is like a spacecraft console. The table top is integrated to expand the work area and keep everything under control. The table legs are like side wings, with unique shape and strong support. The overall design presents a light luxury fashion style, and the soft and smooth lines coincide with the connotation of "aim high and be down-to-earth".





Executive Table

Model	Size
MSO-DEA-3624	3600W*2400D*760H
MSO-DEA-3224	3200W*2400D*760H

Configuration instructions: Straight grain walnut + coffee gray
(Attached cabinets are divided into left and right, with fingerprint lock and smart lifting box)

1. Veneer material: imported natural straight-grained walnut veneer, thickness 0.6mm; grain and color matching processing
2. Edge banding material: the same veneer edge banding as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: The topcoat is "Huarun" PU polyester paint;
5. Hardware accessories: Bogvis brand buffer rail, NOVEL buffer door hinge; tabletop with black brushed wiring box. The tabletop is equipped with an intelligent lifting wiring box, and the attached cabinet is equipped with a fingerprint lock



The internal wiring space is preset and equipped with intelligent lifting cable box holes to meet the use of various electronic equipment.



The attached table has ample storage space to store various documents and items, and the drawer is equipped with a smart fingerprint lock to ensure the safety of business information documents and items.




The table legs are designed with arcs and inclination angles, making the overall effect more refined.



The large cover [] on the left is equipped with an LED lighted clothes hanging rod, which can store clothes. The needs of customers have been fully considered. The storage adopts an open grid and a closed door for storage, which is generous and practical.

The large door on the left adopts a beveled-edge buckle design, and the small door in the middle adopts a push-button design without a handle.




File Cabinet

Model	Size
MSO-CAA-4221	4280W*500D*2130H
Configuration instructions: Straight grain walnut + coffee gray	

(With light strip, wardrobe)

1. Veneer material: imported natural straight-grained walnut veneer, thickness 0.6mm; processed with matching grain and color
2. Edge banding material: the same veneer as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: topcoat uses "Huarun" PU polyester paint;
5. Hardware accessories: Bogvis brand accessories;




Tea Table

Model:
MSO-CTA-1608

Size:
1600W*800D*420H

Configuration instructions: Straight grain walnut + coffee gray

1. Veneer material: imported natural straight-grained walnut veneer, thickness 0.6mm; processed with matching grain and color
2. Edge banding material: the same veneer as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: topcoat uses "Huarun" PU polyester paint;
5. Hardware accessories: Bogvis brand accessories;



Tea Table

Model:
MSO-CTA-0808


Size:
800W*800D*420H

Configuration instructions: Straight grain walnut + coffee gray

1. Veneer material: imported natural straight-grained walnut veneer, thickness 0.6mm; processed with matching grain and color
2. Edge banding material: the same veneer as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: topcoat uses "Huarun" PU polyester paint;
5. Hardware accessories: Bogvis brand accessories;



The countertop is color-coded and the surrounding beveled edges are recessed in coffee gray. The bottom of the coffee table adopts an elevated frame design, echoing the tea cabinet.





Conference Table

- Model MSO-MTA-6016 | 6000W*1600D*770H
 Configuration instructions: Straight grain walnut + coffee gray
1. Veneer material: imported natural straight-grained walnut veneer, thickness 0.6mm; processed with matching grain and color
 2. Edge banding material: the same veneer as veneer;
 3. Base material: "Shangsi Hualin" E0 grade high-density board;
 4. Paint: topcoat is "Huarun" PU polyester paint;
 5. Hardware accessories: Bogvis brand accessories, power rail socket;



Equipped with a power track socket and a multi-function socket, USB interface and other functions to meet the needs of users for different electronic devices.



Tea Cabinet

- Model Size
MSO-CAB-1809 | 1800W*450D*900H
- Configuration instructions: Straight grain walnut + coffee gray
1. Veneer material: imported natural straight-grained walnut veneer, thickness 0.6mm; processed with matching grain and color
 2. Edge banding material: the same veneer as veneer;
 3. Base material: "Shangsi Hualin" E0 grade high-density board;
 4. Paint: topcoat uses "Huarun" PU polyester paint;
 5. Hardware accessories: Bogvis brand accessories;

Colour



Straight grain walnut





coffee gray paint

LYU


「Leyu Series」

The Leyu series retains the basic elements of Lesen and continues the diamond-cut design concept of the new Lesen series table legs. The color matching of the products is more in line with the market trend, which not only retains the essence of the brand's history, but also makes greater use of existing product resources.





- | Model | Size |
|--------------|------------------|
| LYU-DEC-2018 | 2000W*1800D*750H |
| LYU-DEC-2218 | 2200W*1800D*750H |
- Configuration instructions: Titan walnut + dark iron gray (divided into left and right, brushed silver fireproof board surface)
1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
 2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
 3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
 4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
 5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
 6. The sub-table is equipped with a top-level buffer brushed aluminum alloy flip wire cover, and the internal reserved aluminum alloy 86 socket box can directly install the 86 cover.



- | Model | Size |
|--------------|------------------|
| LYU-CAC-2418 | 2400W*400D*1800H |
- Configuration instructions: Titan walnut + dark iron gray (Brushed silver fireproof board sliding door)
1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
 2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
 3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
 4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
 5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.




Model: LYU-CTA-1407

Size: 1400W*700D*400H

Configuration instructions: Titan walnut + dark iron gray

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.




Model: LYU-CTB-0707


Size: 700W*700D*400H

Configuration instructions: Titan walnut + dark iron gray

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.







Model Size
LYU-MTB-4816 | 4800W*1600D*750H

Configuration instructions: Titan walnut + dark iron gray


1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. The desktop is equipped with 2 top-level buffer brushed aluminum alloy flip wire covers, and the internal reserved aluminum alloy 86 socket box can directly install the 86 cover.

LN Y

[Field Series]

The leader collection is designed with bold jumping colors and simple straight lines, Display the charm of the product incisively and vividly.
In the consistent and steady dark office color matching, bold use of bright color matching to break the original serious atmosphere of product color matching and endow the product with vitality. Grid bar and corner cutting at baffle, unique staff foot design, All show the beauty of the details of the leading series.
The series has complete configuration and fashionable design,
Suitable for all sizes of office space.





Model	Size
LNy-DEA-3626	3600W*2680D*760H
LNy-DEA-3224	3200W*2480D*760H
LNy-DEA-2822	2800W*2280D*760H

Configuration instructions: Black gold walnut + dark iron gray
(Drawer with fingerprint lock, divided into left and right)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding,
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. The desktop is equipped with a detachable electric rail wire box and three multi-functional modules




The interior of the attached cabinet is reasonably planned, with four doors and two drawers, and the main unit is reserved.



The countertop is equipped with built-in smart power rail sockets to meet users' needs for different electronic devices.





The frame is equipped with decorative aluminum strips and incorporates grille elements to highlight the grand personality of the executive table; the bottom of the countertop is surrounded by a sandblasted iron-gray aluminum alloy frame, using industrial-grade texture spraying technology, giving it a rich metallic texture. The baffles and table legs are designed with process lines, echoing each other.



Lift attachment table

- | Model | Size |
|--------------|---|
| LNy-DEA-1008 | 1000W*800D*706H (Equipped with 3600W) |
| LNy-DEA-1007 | 1000W*750D*706H (Equipped with 3200W/2800W) |
- Configuration instructions: Yellow brown leather + dark iron gray
1. Use the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
 2. Fabric: Select high-quality leather that has been treated with liquid coloring and moisture-proof and anti-fouling processes, making the leather surface softer and more comfortable, with a longer-lasting gloss. ;
 3. Lifter: Select domestic high-quality motors, which are electrically lifted





filing cabinet

Model	Size
LNy-CAA-4220	4200W*480D*2060H
LNy-CAA-3620	3600W*480D*2060H

Configuration instructions: Black gold walnut + dark iron gray

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.




Model: LNY-CTA-1407

Size: 1400W*700D*450H

Configuration instructions: Black painted glass + hardware peach

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossingadopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. The coffee table surface is high-quality black tempered glass






Model: LNY-CTA-0707

Size: 700W*700D*450H

Configuration instructions: Black painted glass + hardware peach

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding,
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. The coffee table surface is high-quality black tempered glass






conference table


Model: LNY-MTA-6016
LNY-MTA-4815
Size: 6000W*1600D*760H
4800W*1500D*760H
Configuration instructions:
Black gold walnut + dark iron gray

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicaterelief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. The desktop is equipped with a detachable electric rail wire box and three multi-functional modules



Four seats

- | Model | Size |
|----------------|------------------|
| LNy-WTF4-2824B | 2800W*2400D*750H |
- Configuration instructions: Imported warm white + dark night green
1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
 2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
 3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
 4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
 5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
 6. The cabinet contains 86 sockets. The decoration box is designed with 3 86 socket installation holes and wiring channels for each person.
 7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes, with a wall thickness of $\geq 2.0\text{mm}$



Steel table screen


- | Model | Size | Material |
|---------------|----------------|-------------|
| LNy-TSA-1100W | 1100W*70D*320H | Steel plate |
| LNy-TSA-960W | 960W*70D*320H | Steel plate |
- Configuration instructions:
 Plan A: Dawn White + Dawn White
 Plan B: Rain Yellow + Dawn White
 Plan C: Night Green + Dawn White



Four drawers + four doors, classified and layered, neat and orderly, and reserved for the main unit. The cabinet integrates file storage and circuit storage, with a preset wiring space inside.




The desk screen panel is cut with hanging slots, which is simple and beautiful in shape. It also has the function of hanging items. It can hang vases, pen boxes, stationery boxes, and work ID plates to make efficient use of office space.



Two persons

LNY-WTF2-1624B
1600W*2400D*750H
Configuration instructions:
Imported warm white + dark night green

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thickPVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. The cabinet contains 86 sockets. The decoration box is designed with 3 86 socket installation holes and wiring channels for each person.
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes, with a wall thickness of $\geq 2.0\text{mm}$




Two persons

Model: LNY-WTB2-1212A
LNY-WTB2-1412A

Size: 1200W*1200D*750H
1400W*1200D*750H

Configuration instructions: Australian eucalyptus + imported warm white
(drawer with password lock)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. The cabinet contains 86 sockets. The decoration box is designed with 3 86 socket installation holes and wiring channels for each person.
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes, with a wall thickness of $\geq 2.0\text{mm}$



Desk screen

Model:
FET-TSA-1000W

Size:
1000W*24D*350H

Material:
Flannel material

Configuration instructions:
Solution A: GC-1443, oily green
Plan B: GC-1444, dark blue
Solution C: GC-1445, zinc gray
Plan D: GC-1446, whale gray



The drawers are equipped with password locks to protect privacy and important documents. The drawers and storage compartments are large, convenient and practical.



The cabinet not only stores files, but also stores circuits. It has a preset wiring space inside, and socket holes and Tai Chi cable boxes are reserved on the outside. Sockets and wiring can be installed to meet the use of various electronic equipment.

JOL

「 Extreme Series 」


The ultimate design style is simple and elegant. It combines the materials of hill-shaped walnut, gray steel feet and coffee-gray metal paint to show the characteristics of low-key and luxurious style. It is a typical Italian luxury style product. The simple form, the calm lines, in addition to the product function, is a kind of humanistic pursuit, the pursuit of the ultimate, not blind, not casual.







The Jol desk is a combination of fortitude and softness, the beveled countertop, the tough steel feet, is its fortitude; the rounded cabinet, the built-in handle, reveals the designer's tenderness and care.




Model	Size
JOL-DEA-2621	2600W*2150D*760H
JOL-DEA-2421	2400W*2450D*760H
JOL-DEA-2219	2200W*1950D*760H


Configuration instructions: Small mountain pattern walnut + coffee gray metallic paint

1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color
2. Edge banding material: the same veneer as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: topcoat is "Huarun" PU polyester paint;
5. Hardware accessories: Bogvis brand buffer rail, NOVEI buffer door hinge; table top with black brushed wiring box;




The Jol desk is secretly launched through the attached cabinet, equipped with a compact and practical multi-function cable box. The cable box cover is brushed with black aluminum alloy, which has a strong sense of grade.






The hll-shaped walnuts are matched with the coffee -gray metallic paint, which is natural and beautiful without losing maturity. The cabinet has a handleless design, complete and generous, and the pursuit of the ultimate. Equipped with large movable door panel and built-in clothes hanging pole.



filing cabinet

- | | |
|--------------|------------------|
| Model | Size |
| JOL-CAA-3019 | 3060W*450D*1970H |
- Configuration instructions: Small mountain pattern walnut + coffee gray metallic paint
1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color
 2. Edge banding material: the same veneer as veneer;
 3. Base material: "Shangsi Hualin" E0 grade high-density board;
 4. Paint: topcoat is "Huarun" PU polyester paint;
 5. Hardware accessories: Bogvis brand buffer rail, NOVEL buffer door hinge; file cabinet with telescopic clothes hanger, Tut buffer sliding door accessories;




conference table

Model Size
JOL-MTA-3613 | 3600W*1350D*760H
Configuration instructions: Small mountain pattern walnut + coffee gray metallic paint
1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color
2. Edge banding material: the same veneer as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: the topcoat is "Huarun" PU polyester paint;



Model	Size
WD-2095	single seat: 800W*770D*800H
	three persons: 1800W*770D*800H

Configuration instructions: 1+1+3, black painted hardware feet, high resilience sponge




Model Size
JOL-CTA-1206 | 1200W*600D*450H

Configuration instructions:

Small mountain pattern walnut + coffee gray metallic paint

1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color
2. Edge banding material: the same veneer as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: the topcoat is "Huarun" PU polyester paint;



Model Size
JOL-CTB-0606 | 600W*600D*450H

Configuration instructions:

Small mountain pattern walnut + coffee gray metallic paint

1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color
2. Edge banding material: the same veneer as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: the topcoat is "Huarun" PU polyester paint;

MIN


「 Mingshi Series 」

Simple, not simple; ordinary, see extraordinary.
After the ever-changing return to the original, it is another layer of realm.
Min has brought the beauty of the straight line to the extreme,
and it is a sublimation of craftsmanship and aesthetics.
A selection of hill-grain walnut wood, natural and colorful,
exquisite open lacquer and beveled edge craftsmanship,
highlighting the Tevelland taste. With MIN as the carrier,
we have achieved extraordinary career in the work of ordinary people.






The overall shape of Min executive table is L-shaped interlocking in two dimensions, forming an exclusive office space, and the space layout is clean and clean. The wood grain part is an open lacquer process, using precious natural hill-shaped walnut veneer, which has a strong sense of quality.



Model	Size
MIN-DEA-2825	2800W*2505D*760H
Configuration instructions: Hill grain walnut + starry sky gray	
1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color	
2. Edge banding material: the same veneer edge banding as veneer;	
3. Base material: "Shangsi Hualin" E0 grade high-density board;	
4. Paint: the topcoat is "Huarun" PU polyester paint;	
5. Hardware accessories: Bogvis brand buffer rail, NOVEL buffer door hinge; the table top is equipped with a black brushed wiring box, which contains a multi-functional wire cover; the table legs are decorated with aluminum brushed;	
6. Special process: the whole series adopts large bevel and 45-degree Lamino connection process;	



filing cabinet

Model

Size


MIN-CAA-3119 | 3100W*505D*1960H

Configuration instructions: Hill grain walnut + starry sky gray

1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color
2. Edge banding material: the same veneer edge banding as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: topcoat is "Huarun" PU polyester paint;
5. Hardware accessories: Bogvis brand buffer rail, NOVEL buffer door hinge;
6. Special process: the whole series adopts large bevel and 45-degree Lamino connection process;



The overall shape of Min executive table is L-shaped interlocking in two dimensions, forming an exclusive office space, and the space layout is clean and clean. The wood grain part is an open lacquer process, using precious natural hill-shaped walnut veneer, which has a strong sense of quality.



Model

Size


MIN-DEA-2825 | 2800W*2505D*760H

Configuration instructions: Hill grain walnut + starry sky gray

1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color
2. Edge banding material: the same veneer edge banding as veneer;
3. Base material: "Shangsi Hualin" E0 grade high-density board;
4. Paint: the topcoat is "Huarun" PU polyester paint;
5. Hardware accessories: Bogvis brand buffer rail, NOVEL buffer door hinge; the table top is equipped with a black brushed wiring box, which contains a multi-functional wire cover; the table legs are decorated with aluminum brushed;
6. Special process: the whole series adopts large bevel and 45-degree Lamino connection process;




Min conference table continues the minimalist style of the whole series, the tabletop is very refreshing, and the beveled edge makes the conference table overall strong.




conference table

- | Model | Size |
|--|------------------|
| MIN-MTA-4214 | 4200W*1400D*760H |
| Configuration instructions: Hill grain walnut + starry sky gray | |
| 1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color | |
| 2. Edge banding material: the same veneer edge banding as veneer; | |
| 3. Base material: "Shangsi Hualin" E0 grade high-density board; | |
| 4. Paint: topcoat is "Huarun" PU polyester paint; | |
| 5. Hardware accessories: Bogvis brand buffer rail, NOVEL buffer door hinge; | |
| 6. Special process: the whole series adopts large bevel and 45-degree Lamino connection process; | |



- | Model | Size |
|--|-----------------|
| MIN-CTA-1206 | 1200W*600D*420H |
| Configuration instructions: Hill grain walnut + starry sky gray | |
| 1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color | |
| 2. Edge banding material: the same veneer edge banding as veneer; | |
| 3. Base material: "Shangsi Hualin" E0 grade high-density board; | |
| 4. Paint: topcoat is "Huarun" PU polyester paint; | |
| 5. Hardware accessories: Bogvis brand buffer rail, NOVEI buffer door hinge; | |
| 6. Special process: the whole series adopts large bevel and 45-degree Lamino connection process; | |




- | Model | Size |
|--|----------------|
| MIN-CTB-0606 | 600W*600D*420H |
| Configuration instructions: Hill grain walnut + starry sky gray | |
| 1. Veneer material: imported natural walnut veneer with small hill pattern, thickness 0.6mm; processed with matching grain and color | |
| 2. Edge banding material: the same veneer edge banding as veneer; | |
| 3. Base material: "Shangsi Hualin" E0 grade high-density board; | |
| 4. Paint: topcoat is "Huarun" PU polyester paint; | |
| 5. Hardware accessories: Bogvis brand buffer rail, NOVEI buffer door hinge; | |
| 6. Special process: the whole series adopts large bevel and 45-degree Lamino connection process; | |

HTA

[Hongtai Series]


The Hongtai series is a new Chinese-style office furniture. The design is inspired by the traditional Chinese decorative pattern "Hui". Because of its repeated loops and continuous extension, there is a folk saying that "wealth never stops", and continuous auspiciousness. With a long-lasting auspicious meaning, the shape mainly adopts tough and concise straight lines, combining gentle ebony wood with rustic slate. The combination of hardness and softness, fashion and elegance not only make the classical and rustic connotation of Chinese furniture appear, but also meet the pursuit of modern office. Fashionable and practical.





Model	Size
HTA-DEA-2822	2800W*2280D*760H
HTA-DEA-3224	3200W*2430D*760H
HTA-DEA-3624	3600W*2480D*760H
Configuration instruction: Ebony wood color + new Armani gray slate (yellow brown leather)	


1. Base material: The product board is E0 grade medium density fiberboard with ebony veneer + imported ebony, which is environmentally friendly and durable. The color matching adopts the stable and elegant ebony veneer + new Armani limestone board.
2. The composite thickness of the table top is 70mm, with solid wood edge banding on both sides, beveled edges and rounded corners around the main table top, and the entire table top has a smooth transition; it fully demonstrates the new Chinese style design of the product, which is simple and stable.
3. The desktop is equipped with a solid wood wire cover, which is equipped with an integrated multi-function socket.
4. Function: The attached cabinet is equipped with drawers, doors, and reserved storage space for the host position, line storage, etc. The attached cabinet doors and drawer door panels are equipped with bronze handles.
5. Hardware accessories: Use German BMB three-section buffer guide rails and buffer door hinges, water-based paint technology



The door is equipped with Norwell metal handle, which is thick and stable with a sense of layering. The product is three-dimensional and highlights the new Chinese style.




The double-layer curvature design of the countertop is embellished with craft seams, and the wood grain and slate interact with each other to create a rich sense of layering and stability.



The front face is covered with leather technology, and is decorated with grid strips to show the Chinese charm.



The layout of the side cabinet is reasonable, with three doors and one drawer, which is flexible and controllable to improve quality. The drawers each adopt Qujia fingerprint locks, making the space user-friendly and highly private and secure.



filing cabinet


Model	Size
HTA-CAA-4221	4200W*480D*2100H
HTA-CAA-3621	3600W*480D*2100H
Configuration instructions: Ebony wood color + new Armani gray slate (yellow brown leather)	
1. Base material: The product board is E0 grade medium density fiberboard with ebony veneer + imported ebony, which is environmentally friendly and durable.	
2. The composite thickness of the table is 70mm, with solid wood edges on both sides, beveled edges and rounded corners around the main table, and the entire table has a smooth transition; it fully demonstrates the new Chinese style design of the product, which is simple and stable.	
3. Function: Storage space such as storage, with cabinet doors and drawer door panels equipped with bronze handles.	
4. Hardware accessories: Use German BMB three-section buffer rails and buffer door hinges, water-based paint technology	



The drawers are combined with leather and wood grain to warm the product, and can store various documents and items.



The arched handle is used in the middle, which complements the arched copper bar of the desk. The symmetrical Nowell handle is equipped with small handles, complementing each other, bursting with quality, and providing privacy and security.




filing cabinet

Model	Size
HTA-CAA-4221	4200W*480D*2100H
HTA-CAA-3621	3600W*480D*2100H

Configuration instructions: Ebony wood color + new Armani gray slate (yellow brown leather)

1. Base material: The product board is E0 grade medium density fiberboard with ebony veneer + imported ebony, which is environmentally friendly and durable. The color matching adopts the stable and elegant ebony veneer + new Armani limestone board.
2. The composite thickness of the table top is 70mm, with solid wood edge banding on both sides, beveled edges and rounded corners around the main table top, and the entire table top has a smooth transition; it fully demonstrates the new Chinese style design of the product, which is simple and stable.
3. The desktop is equipped with a solid wood wire cover, which is equipped with an integrated multi-function socket.
4. Function: The attached cabinet is equipped with drawers, doors, and reserved storage space for the host position, line storage, etc. The attached cabinet doors and drawer door panels are equipped with bronze handles.
5. Hardware accessories: Use German BMB three-section buffer guide rails and buffer door hinges, water-based paint technology




conference table

Model	Size
HTA-MTA-3613	3600W*1350D*760H
HTA-MTA-2411	2400W*1100D*760H

Configuration instructions: Ebony wood color (yellow-brown leather)

1. Base material: The product board is E0 grade medium density fiberboard with ebony veneer + imported ebony, which is environmentally friendly and durable. The color matching adopts the stable and elegant ebony veneer + new Armani limestone board.
2. The composite thickness of the table top is 70mm, with solid wood edge sealing on both sides, beveled edges and rounded corners around the main table top, and the entire table top has a smooth transition; it fully demonstrates the new Chinese style design of the product, which is simple and stable.
3. Hardware accessories: Use high-quality hardware connectors, water-based paint technology



office chair

Model	Size
CRB-0002	620W*745D*1050H
Configuration instructions: beige	

Genuine leather: light camel
 Ebony wood, mortise and tenon joint frame structure
 Environmentally friendly underwater and surface open paint decoration
 High-resilience one-piece cutting and molding sponge
 Pure copper hardware

RLA


[Roland Series]

The styling idea comes from the ballet Swan Lake, where the light table feet are like ballet dancers' toes and dance beautifully; dark and light colors match, like white swans and black swans in Swan Lake, white elegant like fairies, and black looks like generals. The noble temperament implies that the office space becomes flexible and natural.






RLA SERIES



Model Size
 RLA-DEA-2621A | 2600W*2100D*750H
 RLA-DEA-2421A | 2400W*2100D*750H
 Configuration instructions: Australian eucalyptus + imported warm white + cloud rock
 (Leather 8643, drawer with front lock, divided into left and right parts)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The attached cabinet adopts a 45-degree splicing structure, a Lamino connection method, equipped with 2 drawers, 2 doors, reserved host position, line storage and other storage space, standard aluminum alloy brushed wire cover, and 3 86 socket installation holes reserved inside
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.



The auxiliary cabinet panel adopts the bright cloud rock, the application of the stone-like material brings the natural visual element into the office environment, effectively relieves the anxiety and the fatigue caused by the working pressure, and the 45-degree angle of the door plate is used as the door opening mode, and the no-handle design ensures the stone grain effect.





Model Size

RLA-CAA-3119A | 3160W*400D*1980H

Configuration instructions: Yellow brown leather DB93022 + dark iron gray

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Adopt the handleless design, simple and clean, beautiful and atmospheric, the right side is a sliding door, and the fireproof board is used for the finishing; the interior is equipped with a clothes hanging rod, the left middle side is a glass door, which is more noble, the upper and lower left sides are doors, and the inner side is equipped with a press rebounder, the middle partition and the vertical board are assembled with invisible connectors, and the product is beautiful and neat.






Model	Size
RLA-MTC-4214A	4200W*1400D*750H
RLA-MTC-4815A	4800W*1500D*750H

Configuration instructions: Australian eucalyptus + imported warm white


1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living hardware. 6. Structure: Assembled by double-layer boards, the bottom of the table is beveled, the table feet are equipped with height adjustment function, and the four corners of the support cabinet are sealed with aluminum alloy thin edges. The product is more exquisite and beautiful, with standard aluminum alloy brushed wire cover, and 3 86 socket installation holes reserved inside
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.






Model Size
 RLA-WTJ4-2824B | 2800W*2400D*750H
 Configuration instructions: Australian eucalyptus + imported warm white
 (Excluding table screen, drawer with side lock)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Adopt the handle-free design, simple and clean, beautiful and atmospheric. Each side is equipped with a hidden door, and the side-by-side staggered assembly; the internal double-layer design, plus a movable layer board, can be placed according to the choice of computer host, improve the space utilization rate, the attached cabinet bottom feet and table feet are equipped with height adjustment function, the cabinet contains 86 socket decoration box, and the interior is designed with 3 86 socket installation holes and upper line channels for each person.
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.



Model Size
RLA-WTB2-1212B | 1200W*1200D*750H
Configuration instructions: Australian Eucalyptus + Khaki Gray
(Excluding table screen, drawer with side lock)



Model Size
RLA-WTB2-1212B | 1200W*1200D*750H
Configuration instructions: Australian Eucalyptus + Khaki Gray
(Excluding table screen, drawer with side lock)


1. Adopt the high-quality E0 grade environmentally friendly high-density particleboard of the international brand "Fenglin";
2. Facing paper: Adopt the world-leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the high-quality thick PVC edge banding tape of "Oudeya" of Germany, with a thickness of $\geq 2\text{mm}$;
4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the high-quality hardware connectors of "Guanhui", the exclusive supplier of Olympic living hardware.
6. Structure: Adopt the handleless design, which is simple and clean, beautiful and atmospheric. It is equipped with 1 drawer + 1 hinged door with lock. The inner double-layer design of the hinged door is equipped with a movable layer board. The computer host can be placed according to the choice to improve the space utilization rate. The side panel adopts the thin edge of sealed aluminum alloy, which makes the product more exquisite and beautiful. The bottom feet and table feet of the attached cabinet are equipped with height adjustment function. The cabinet contains 86 sockets. The decoration box inside is designed with 3 86 sockets. Installation holes and upper line channels are designed.

UGO

「 Yogurt Series 」

The inspiration comes from riding on the five rings of snowflakes and traveling to the Beijing Winter Olympics. This is an exquisite sports feast: it is also the collision of youthful vitality and movement. The spark of dream yogurt series is designed with the theme of "youth, fashion, and dynamics" as a whole. The youthful and energetic product color matching, dynamic table base creativity, and the perfect combination of arc and straight lines give office furniture youth, vitality and vitality.





Model

Size

UGO-DEA-2219 | 2200W*1900D*750H

UGO-DEA-2019 | 2000W*1900D*750H

Configuration instructions:
Mayan walnut + imported warm white
(divided into left and right parts, equipped with password lock)


1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The attached cabinet adopts a 45-degree splicing structure, a Lamino connection method, equipped with 2 drawers, 2 doors, reserved host position, line storage and other storage space, standard aluminum alloy brushed wire cover, and 3 86 socket installation holes reserved inside
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.



The attached cabinet has integrated wiring, which is convenient and beautiful, and provides easy access to power.



The drawer is equipped with a password lock and high-quality rails, with privacy and security coexisting in a stylish door panel that exudes a strong sense of design.



Model
UGO-CAA-2419

Size
2400W*400D*1900H

Configuration instructions:
Mayan walnut + imported warm white

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.



The large door on the left is equipped with a telescopic clothes hanging rod to store clothes, fully considering the needs of users.



The file cabinet adopts a handleless design, which is simple and elegant. The storage adopts open and closed storage, which is convenient and practical.



Model
UGO-CTB-0403
Size
470W*340D*450H
Material:Steel
Configuration instructions:
Mayan walnut + imported warm white




Model: UGO-CTA-0606
Size: 600W*600D*450H
Configuration instructions: Mayan walnut + imported warm white
1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.




Model: UGO-CTA-1206
Size: 1200W*600D*400H
Configuration instructions:
Mayan walnut + imported warm white
1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.



YOU GE SERIES




Model Size
UGO-WTA-3612 | 3600W*1200D*750H
Configuration instructions: Mayan walnut + imported warm white




Model Size
UGO-WTA-3012 | 3000W*1200D*750H
Configuration instructions: Mayan walnut + imported warm white

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living hardware.
6. Structure: Assembled by double-layer boards, the bottom of the table is beveled, the table feet are equipped with height adjustment function, and the four corners of the support cabinet are sealed with aluminum alloy thin edges. The product is more exquisite and beautiful, with standard aluminum alloy brushed wire cover, and 3 86 socket installation holes reserved inside
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.




Model Size
 UGO-WTE4-2824A | 2800W*2400D*750H
 Configuration instructions:
 Imported warm white + khaki brown feet
 (Drawer with password lock, table screen not included)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Adopt the handle-free design, simple and clean, beautiful and atmospheric, equipped with 1 drawer + 1 hinged door with lock, double-layer design inside the hinged door, equipped with a movable layer board, you can put the computer host according to your choice, improve space utilization, the side panel adopts the sealed aluminum alloy thin edge method, the product is more exquisite and beautiful, the cabinet bottom feet and table feet are equipped with height adjustment function, the cabinet contains 86 socket decoration box, and 3 86 socket installation holes and upper line channels are designed inside.
7. Steel frame table legs: Made of "Baosteel" brand high-quality steel pipes.



Model	Size
UGO-WTA2-1212A	1200W*1200D*750H
UGO-WTA2-1412A	1400W*1200D*750H

Configuration instructions supported warm white + khaki brown feet (Drawer with password lock, table screen not included)



Model	Size
UGO-WTA2-1212A	1200W*1200D*750H
UGO-WTA2-1412A	1400W*1200D*750H

Configuration instructions supported warm white + khaki brown feet (Drawer with password lock, table screen not included)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Adopt the handle-free design, simple and clean, beautiful and atmospheric, equipped with 1 drawer + 1 hinged door with lock, double-layer design inside the hinged door, equipped with a movable layer board, you can put the computer host according to your choice, improve space utilization, the side panel adopts the sealed aluminum alloy thin edge method, the product is more exquisite and beautiful, the cabinet bottom feet and table feet are equipped with height adjustment function, the cabinet contains 86 socket decoration box, and 3 86 socket installation holes and upper line channels are designed inside.
7. Steel frame table legs: Made of "Baosteel" brand high-quality steel pipes.


GED

「 style Series 」

The style series adopts the design concept of round outside and square inside.

This series not only inherits the essence of the brand's history, but also maximizes the use of resources and boldly innovates. The color combination combines the fashionable midnight green color with the highly market-recognized wood grain American eucalyptus, and is supplemented by a new color palette. Na Lisa is used as embellishment, and the overall appearance is fashionable and good-looking. The series is fully equipped to meet the needs of shopping mall elites in various office scenarios.





Model Size

GED-DEA-2218 2200W*1800D*750H
GED-DEA-2018 2000W*1800D*750H

Configuration instructions:
American Eucalyptus+Mia Pure Black
(Left and right, with password lock)


1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living hardware.
6. Structure: The attached cabinet is equipped with 2 drawers and 1 door, and the host position, line storage and other storage space are reserved. 3 86 socket installation holes are reserved inside, and the bottom plate of the attached cabinet is equipped with a line inlet hole
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.



The sub cabinet wire box integrates wiring, which is beautiful and convenient.



Aluminum alloy legs, polished stainless steel joints, and sandblasted black surface, giving it a high-end feel.



Model Size
 GED-CAA-2419 | 2450W*400D*1900H
 Configuration instructions:
 American Eucalyptus+Mia Pure Black

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.



Model
GED-CTA-1206
Size
1200W*600D*400H

Configuration instructions:
American Eucalyptus+Mia Pure Black



Model
GED-CTA-0606
Size
600W*600D*450H


Configuration instructions:
American Eucalyptus+Dark Night Green

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.



Model
GED-CTB-0403
Size
470W*340D*450H
Material
Steel

Configuration instructions:
Rain yellow + dark night green



Model Size


GED-MTA-2411 2400W*1100D*750H

GED-MTA-3012 3000W*1200D*750H

Configuration instructions:
American Eucalyptus+Mia Pure Black

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Equipped with top-grade aluminum alloy brushed flip wire cover, the middle support cabinet is equipped with 3 86 socket installation holes, wire entry holes and line storage
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.






Two persons

Model
GED-WTA2-1212
GED-WTA2-1412

Size
1200W*1200D*750H
1400W*1200D*750H

Configuration instructions:
American Eucalyptus+Mia Pure Black



Extended position
for two persons

Model
GED-WTA2-1212
GED-WTA2-1412

Size
1200W*1200D*750H
1400W*1200D*750H

Configuration instructions:
American Eucalyptus+Mia Pure Black


1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Equipped with top-grade aluminum alloy brushed flip wire cover, the middle support cabinet is equipped with 3 86 socket installation holes, wire entry holes and line storage
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.



New fashion screen, integrating steel tray, cloth table screen, power socket and brand LOGO. It has complete functions and is fully diversified to meet the needs of daily work.




The storage adopts two storage methods: door and drawer, and a host channel is reserved between the two seats, which is simple and practical.



Model
GED-WTD2-1512 | 1560W*1200D*750H
Configuration instructions:
American Eucalyptus+Mia Pure Black

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Equipped with top-grade aluminum alloy brushed flip wire cover, the middle support cabinet is equipped with 3 86 socket installation holes, wire entry holes and line storage
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.



Model Size
 GED-WTD2-2712 | 2760W*1200D*750H
 Configuration instructions:
 American eucalyptus + Mia pure black (including hook)


1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Equipped with top-grade aluminum alloy brushed flip wire cover, the middle support cabinet is equipped with 3 86 socket installation holes, wire entry holes and line storage
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.

PET

「 Peter Series 」

Inspired by the appearance of modern piers,
the designer integrates the overall outline of piers into furniture products perfectly,
The perfect splayed leg, after fillet design,
is more in line with the practicality and safety of the product,
The small X-shaped decorative line design is more in line with the bridge mechanics,
and the bevel design and the bevel of the mesa echo each other, Layered and scattered,
arc across the connection shape, more tensile and spatial sense.





Model

Size

PET-DEA-2219B 2200W*1900D*750H

PET-DEA-2019B 2000W*1900D*750H

Configuration instructions:


American eucalyptus + imported warm white
(Drawer with side lock, left and right)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table top breaks the square appearance through the design elements of the beveled corners, the neat lines, and the clear material contrast, showing the control of the art of balance. It adopts two storage methods of doors and drawers, plus the host + wiring function, equipped with BR stationery wire box, and 3 86 socket installation holes are reserved inside.
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.



Precise table cutting technology, practical layout of Sub table connection the hidden routing functionof Every accessory, we are fine it's not only convenient And intelligent to carve and carve carefully and Complement each other with products It can meet The daily functions and play the finishing effect fruit





Model

Size

PET-DEB-1815B | 1800W*1550D*750H

PET-DEB-1615B | 1600W*1550D*750H


Configuration instructions:

American eucalyptus + imported warm white
(Drawer with side lock, left and right)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table top breaks the square appearance through the design elements of the beveled corners, the neat lines, and the clear material contrast, showing the control of the art of balance. It adopts two storage methods of doors and drawers, plus the host + wiring function, equipped with BR stationery wire box, and 3 86 socket installation holes are reserved inside.
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.




The filing cabinet integrates private space and open space, with open partition, door covering and clothes storage. It has all kinds of documents storage, making the storage more arbitrary. The clothes storage is equipped with a retractable hanger, ready for office use.




- | | |
|---------------|------------------|
| Model | Size |
| PET-CAB-2018B | 2000W*400D*1800H |
- Configuration instructions: American eucalyptus + imported warm white (Standard wardrobe)
1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
 2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
 3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
 4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
 5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
 6. Structure: Adopt open and closed storage, generous and practical, with telescopic clothes hanging rod




- | Model | Size |
|---|-----------------|
| PET-CTA-1206 | 1200W*600D*400H |
| Configuration instructions: American eucalyptus + matte white | |
| <ol style="list-style-type: none"> 1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard; 2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture. 3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$; 4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand; 5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware. 6. Structure: Single board technology, thickness 25mm, rounded corners all around, breaking the square appearance, neat lines, showing the control of the art of balance | |



- | Model | Size |
|---|----------------|
| PET-CTA-0606 | 600W*600D*400H |
| Configuration instructions: American eucalyptus + matte white | |
| <ol style="list-style-type: none"> 1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard; 2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture. 3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$; 4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand; 5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware. 6. Structure: Single board technology, thickness 25mm, rounded corners all around, breaking the square appearance, neat lines, showing the control of the art of balance | |






Model Size
 PET-WTD4-2824B | 2800W*2400D*1100H
 Configuration instructions:
 American eucalyptus + imported warm white
 (Drawer with side lock, left and right)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Adopt the handle-free design, simple and clean, beautiful and atmospheric. Each side is equipped with a hidden door, and the side-by-side staggered assembly; the internal double-layer design, plus a movable layer board, can be placed according to the choice of computer host, improve the space utilization rate, the cabinet bottom feet and table feet are equipped with height adjustment function, the cabinet contains 86 socket decoration box, and 3 86 socket installation holes and upper line channels are designed inside.
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.



Independent movable cabinet, which can be placed freely according to personal habits, with various forms, making the office more arbitrary, harmonious and free




Model	Size
PET-WTC2-1212A	1200W*1200D*750H
PET-WTC2-1412A	1400W*1200D*750H
Configuration instructions: Imported warm white (Excludes table screen and movable cabinet)	

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table top breaks the square appearance through the design elements of the beveled corners, neat lines, and clear material contrast. The table top is equipped with BR stationery wire box.
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.



Simple and fashionable meeting space can be achieved through Peter's series of meetings
To realize the space created by the simple conference tableRoom design model,
meeting table available in various specifications, full Size requirements of different spaces




Model	Size
PET-MTA-3012B	3000W*1200D*750H
PET-MTA-3612B	3600W*1200D*750H
Configuration instructions: American eucalyptus + matte white	

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: Adopt single board technology, thickness 25mm, beveled edges on the front and back sides, breaking the square appearance, neat lines, showing the control of the art of balance, wide metal table feet, unique smooth lines, strive to reflect different structural beauty from every angle, with BR stationery wire box.
7. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes.

PET

[Bentley Series]


Mr. Walter Owen Bentley gave Bentley the great vision of "the most outstanding car in its category". The Huadan Bentley series has a unique L-shaped table top with one-piece die-cast aluminum alloy feet, which is strong and powerful; jazz walnut and stripes. The combination of reed and gray makes the products more layered. Bentley's concept of pursuing the ultimate quality coincides with Bentley Motors' vision and reflects Huasheng Group's quality positioning of "same industry, same type, highest grade".





Model	Size
BLY-DEA-2619	2600W*1900D*760H
BLY-DEA-2419	2400W*1900D*760H
BLY-DEA-2218	2200W*1800D*760H
BLY-DEA-2018	2000W*1800D*760H

Configuration instructions: Jazz walnut + striped reed gray
(Reed gray leather panel, drawer with fingerprint lock, divided into left and right parts)



1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. The drawer is equipped with a fingerprint lock, equipped with a multi-functional integrated socket box, and self-molded aluminum alloy die-casting



Model Size
HS-3217 | 750W*700D*1200H
Configuration instructions:
ZB02 curtain black + HB50 coffee brown

1. Fabric: Made of Italian "Sunshine" brand calfskin (1.0mm thick), treated with liquid coloring, moisture-proof and anti-fouling processes, the leather surface is softer and more comfortable, and the gloss is more durable.
2. Accessories: Made of DuPont's PU molded foamed high-density sponge, with a protective surface that is anti-oxidation and anti-fragmentation, and will never deform after HD testing.
3. Accessories: Made of Korean SHS gas pressure rod (250kg force); retracted 300,000 times without leaking.
4. Tripod: Aluminum alloy five-star foot.
5. Function: With lifting, tilting, and multi-stage locking functions;



The convenient cable box makes cable routing more scientific, the desktop is simple and comfortable, and improves office efficiency.



There is a long open compartment on the top of the attached cabinet, where items can be placed. Below are two drawers, with a fingerprint lock on the top for storing private files and items. There are also concealed and open doors for storage and hosting.




The countertop has a double-layer design, the lower layer is chamfered, the countertop is rounded, rounded and safe, and the aluminum alloy feet are die-cast in one piece, giving it a unique personality.



The large-capacity wardrobe has built-in LED clothes rails and Rayne yellow retaining bars, which serve as point-level elements to echo the desk.



The filing cabinet is both practical and decorative. It has an aluminum alloy ultra-thin door frame with black edges and brown glass. The open space in the middle is made of aluminum alloy edge strips. The open space is equipped with a hidden light strip to increase the layering of the cabinet.



Model	Size
BLY-CAA-3020	3000W*400D*2000H
BLY-CAA-2419	2400W*400D*1900H

Configuration instructions:
Jazz walnut + striped reed gray (with light strip)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Equipped with LED light hanging rod and smart touch sensor light belt



Model Size
WD-2129 | 2030W*830D*740H

three seater sofa



Model Size
WD-2129 | 980W*830D*740H

single sofa



Model Size
BLY-CTA-2016 | 1200W*600D*420H



Model Size
BLY-CTA-2016 | 980W*830D*740H

1. Fabric: Made of Italian imported "Sunshine" brand cowhide (1.0mm thick), treated with liquid coloring, moisture-proof and anti-fouling processes, the leather surface is softer and more comfortable, with good gloss and durability, delicate texture and elasticity.
2. Solid wood board frame: High-quality imported hardwood squares with a moisture content of less than 9% and 5mm multi-layer plywood, treated with insect-proof and anti-corrosion chemicals.
3. Sponge: Made of DuPont's PU molded foamed high-density sponge with high resilience, with a protective surface on the surface, which can prevent oxidation and breakage. It will never deform after HD testing, with a backrest density of $\geq 27\text{kg/m}^3$, a seat cushion density of $\geq 36\text{kg/m}^3$, a resilience of $\geq 35\%$, a tensile strength of 95kpa, a tear strength of 3.3N/cm, an elongation at break of 185%, and a depression hardness of 190N.
4. Process: Ergonomic design, comfortable to sit on!

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.



Model	Size
BLY-MTA-3613	3600W*1300D*760H
BLY-MTA-3012	3000W*1200D*760H
Configuration instructions: Jazz walnut + striped reed gray (with electric rail socket)	

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. The desktop is equipped with a detachable electric rail wire box, equipped with three multi-functional modules, and self-molded aluminum alloy die-casting



The conference table supports hidden wiring in the cabinet, and the table top is equipped with a power rail + movable multi-functional socket, so power can be obtained at any position on the rail.





The countertop has a double-layer design, the lower layer is chamfered, and the countertop is rounded, rounded and safe; the aluminum alloy feet are integrally die-cast, with changing shapes, unique personality, and strong metal texture.

OKE

「 Oak Series 」


Black Tortoise rock grain board plays the protagonist,
through the suspension design and the unique
connection way, shapes the calm and
the individuality product characteristic, this is Ork,
a product line named "OK" in English, has its companion body, all OK.





Model	Size
OKE-DEA-2420	2400W*2020D*750H
OKE-DEA-2219	2200W*1920D*750H
OKE-DEA-2019	2000W*1920D*750H

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living hardware. 6. Structure: The attached cabinet adopts a 45-degree splicing structure, a Lamino connection method, and the attached cabinet drawer is equipped with an aluminum alloy cabinet-style concealed handle, with a reserved host position, cable and other storage space, a standard aluminum alloy brushed wire cover, and 3 86 socket installation holes reserved inside



Model	Size
OKE-CAA-2418	2458W*400D*1835H

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware. 6. Structure: The attached cabinet adopts a 45-degree splicing structure, a Lamino connection method, equipped with 2 hidden doors, 1 sliding door and open grid, and adopts a hanging aluminum groove-free design, which is beautiful and noiseless.



The industry is the first to use stone board for desk writing position, lifelike texture, natural tentacles; the main desktop and attached cabinets and table feet suspended connection, the overall appears calm and personality.




The Oak tabletop and table legs are both thickened plates, and the table legs are spliced at 45 degrees using Lamino technology to create an integrated look.



The main desktop is made of Titan Walnut and Xuanwu Rock pattern splicing, with Xuanwu Rock pattern as the writing position, which has a good touch and is wear-resistant and scratch resistant; There are two spaces designed outside the cabinet, with pre installed seats on the vertical board. The wiring is routed through the cable cover of the cabinet panel, and decorative items can be placed in the two spaces.



The roof structure of the filing cabinet adopts suspended design language, the machine is spiritual and full of design sense. Cabinet surface with no handle door board, save space, and strong storage capacity.



Model Size

OKE-CAA-2418 | 2458W*400D*1835H

Configuration instructions: Titan walnut + amber brown (basalt sliding door)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware. 6. Structure: The attached cabinet adopts a 45-degree splicing structure, a Lamino connection method, equipped with 2 hidden doors, 1 sliding door and open grid, and adopts a hanging aluminum groove-free design, which is beautiful and noiseless.



Model Size

HS-2127 | 单人位: 820*780*780

三人位: 1820*780*780

Configuration instructions: 1+1+3, one-piece cutting and forming high resilience sponge


1. Fabric: Select high-grade microfiber leather, treated with liquid coloring, moisture-proof and anti-fouling processes, the leather surface is softer and more comfortable, with good gloss and durability, delicate texture and elasticity.
2. Solid wood board frame: High-quality imported hardwood wood with a moisture content of less than 9% and 5mm multi-layer plywood, treated with insect-proof and anti-corrosion chemicals.
3. Sponge: Adopt DuPont's PU molded foam high-density sponge and high-resilience sponge, with a protective surface on the surface, which can prevent oxidation and shattering. It will never deform after HD testing, with backrest density $\geq 27\text{kg/m}^3$, seat cushion density $\geq 36\text{kg/m}^3$, resilience $\geq 35\%$, tensile strength 95kpa, tear strength 3.3N/cm, elongation at break 185%, and depression hardness 190N.
4. Process: Adopt ergonomic design, comfortable sitting!



Model Size
OKE-CTA-1206 | 1200W*600D*400H
Configuration instructions:
Titan Walnut + Amber Brown

Model Size
OKE-CTB-0606 | 600W*600D*400H
Configuration instructions:
Titan Walnut + Amber Brown


1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The attached cabinet adopts a 45-degree splicing structure and a Lamino connection method.



Model	Size
OKE-MTA-2410	2400W*1080D*750H
OKE-MTA-3012	3000W*1200D*750H
OKE-MTA-3612	3600W*1200D*750H

Configuration instructions:
Titan Walnut+Basalt+Amber Brown(about 10 minutes)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table foot is designed with a 45-degree splicing, using the Lamino connection process, and the middle is decorated with stainless steel brushed aluminum alloy wire, and the top aluminum alloy brushed flip wire cover is standard. There are 3 86 socket installation holes and upper line channels designed inside.




Model

Size

OKE-WTC4-2412 | 2400W*1200D*750H

Configuration instructions:
Violet wax wood + amber brown
(drawer with side lock, table screen not included)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table foot is spliced at 45 degrees, using the Lamino connection process, and each cabinet is equipped with a single door, which can be used to store personal belongings or place a computer host. The cabinet contains an 86-socket decorative box with 3 86-socket installation holes and an online channel designed inside.



Model Size


OKE-WTE2-1212 | 1200W*1200D*750H
OKE-WTE2-1412 | 1400W*1200D*750H

Configuration instructions:

Violet wax wood + amber brown

(drawer with side lock, table screen not included)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table foot is spliced at 45 degrees, using the Lamino connection process, and each cabinet is equipped with 3 drawers, two small and one large, with sufficient storage space. The cabinet contains 86 socket decoration boxes, and 3 86 socket installation holes and wiring channels are designed inside.



Model Size

OKE-WTE2-1212 | 1200W*1200D*750H
OKE-WTE2-1412 | 1400W*1200D*750H

Configuration instructions:


Violet wax wood + amber brown


(drawer with side lock, table screen not included)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the well-known German brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table foot is spliced at 45 degrees, using the Lamino connection process, and each cabinet is equipped with 3 drawers, two small and one large, with sufficient storage space. The cabinet contains 86 socket decoration boxes, and 3 86 socket installation holes and wiring channels are designed inside.



The table foot adopts the suspended design, the hierarchy is clear, misplaced; the attached cabinet also has the line function, and is equipped with 86 sockets to install the decorative cover.





Model Size


OKE-WTG2-1512 | 1560W*1200D*750H

Configuration instructions:

Violet wax wood + amber brown

(drawer with side lock, table screen not included)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table foot is spliced at 45 degrees, using the Lamino connection process, the attached cabinet is equipped with 2 upper and lower drawers, and the cabinet contains 86 sockets. The decorative box inside the cabinet is designed with 3 86 socket installation holes and upper line channels.



Model Size

OKE-WTG2-1512 | 1560W*1200D*750H

Configuration instructions:

Violet wax wood + amber brown

(drawer with side lock, table screen not included)


1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table foot is spliced at 45 degrees, using the Lamino connection process, the attached cabinet is equipped with 2 upper and lower drawers, and the cabinet contains 86 sockets. The decorative box inside the cabinet is designed with 3 86 socket installation holes and upper line channels.



A staff desk with a vertical cabinet structure is equipped with two drawers per position as standard, and a main unit (which can also be used as a compartment for storage). There is a wiring channel in the support cabinet, and there is a socket space reserved in the middle of the cabinet. The upper part of the vertical cabinet table top There are also two sockets, so commonly used electrical appliances can be easily accessed.



The desk screen is made of technical leather, which is stain-resistant, washable, and has good texture. Four colors are available: moonlight gray, phantom gray, phantom blue, and phantom green. Stationery such as hanging slot boards and pen holders are optional.



Model
OKE-WTH4-2712 | 2760W*1200D*750H

Configuration instructions:
Violet wax wood + amber brown
(drawer with side lock, table screen not included)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Structure: The table foot is spliced at 45 degrees, using the Lamino connection process, and the attached cabinet is equipped with 2 upper and lower drawers. The cabinet contains 86 sockets. The decorative box inside is designed with 3 86 socket installation holes and upper line channels.

FPN

「 Bliss Series 」

In order to win the future competition,
furniture manufacturing must optimize business chain of the whole
product life cycle to shorten the time to market,
improve product quality, reduce costs,
and also constantly Through R & D innovation to meet the
changing needs of customers.


and different combinations of modules can meet the needs of users.

Diversified requirements, At the same time,
it can ensure that the configuration variation can meet the needs of mass production.
So, modular design is the only way to victory.




SERIES FEATURES

The streamlined design and realistic solid wood colors give the office space a natural attribute. While the attached cabinet supports the countertop, the storage is mainly open and hidden. The attached cabinet has socket holes reserved for installing sockets to meet daily office needs. Modular product design, modular combination of components, two classic tones of black and white as the main color, black and white styling legs and a variety of table wood grain color options to meet the office needs of different environments.



Model	Size
FPN-DEA-1816	1800W*1600D*750H
FPN-DEA-1616	1600W*1600D*750H

Configuration instructions:
Main color: Gerry maple/Ed cherry/Cass cherry
Secondary color: dark iron gray/imported warm white (with front lock, divided into left and right)



Model	Size
FPN-CAA-2218	2200W*400D*1800H


Configuration instructions: Main color: Gerry maple/Ed cherry/Cass cherry
Secondary color: dark iron gray/imported warm white (with clothes rail)

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.

SERIES FEATURES

The overall design adopts the design without handle, sharp straight line outlines the simple and elegant style, simple and elegant .
The style has a special charm.
The clothes storage space is equipped with a retractable hanger, which is ready for office use at any time.




- 
- | Model | Size |
|--------------|------------------|
| FPN-CAA-2218 | 2200W*400D*1800H |
- Configuration instructions: Main color: Gerry maple/Ed cherry/Cass cherry
Secondary color: dark iron gray/imported warm white (with clothes rail)
1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
 2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
 3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
 4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
 5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.


SERIES FEATURES



The square lines of the tea table continue the design style of the administrative table, simple and modern.



Model	Size
FPN-CTA-1206	1200W*600D*385H
Configuration instructions: Main color: Gerry maple/Ed cherry/Cass cherry Secondary color: dark iron gray/imported warm white	



Model	Size
FPN-CTB-0606	600W*600D*385H
Configuration instructions: Main color: Gerry maple/Ed cherry/Cass cherry Secondary color: dark iron gray/imported warm white	


1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world's leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.






SERIES FEATURES

Flexible and light, rich combination, free collocation, to meet the modern enterprise concise, efficient, cooperative office environment. Modular structure system makes assembly and disassembly highly efficient and carefully integrated hidden wiring function in the middle of side cabinet which make us away from the troubles under the table and take into account all kinds of storage needs.



Model	Size
FPN-WTB2-1212	1200W*1200D*750H
FPN-WTB2-1412	1400W*1200D*750H
Configuration instructions: Main color: Gray maple Secondary color: imported warm white Desk screen: (Mia pure black edge) starry sky blue	
1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;	
2. Facing paper: Adopt the world-leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.	
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;	
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;	
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.	
6. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes	




Model	Size
FPN-WT2B-1212	1200W*1200D*750H
FPN-WT2B-1412	1400W*1200D*750H
Configuration instructions: Main color: Gray maple Secondary color: imported warm white Desk screen: (Mia pure black edge) starry sky blue	
1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;	
2. Facing paper: Adopt the world-leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.	
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;	
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;	
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.	



SERIES FEATURES

It is equipped with simple and exquisite activity cabinet and perfect hidden wiring system as standard;It can create a highly designed and recognizable office space for you.Fupin staff table has the most flexible module; a variety of color combinations, black and white two kinds of steel foot color options, with a variety of table top, table screen colors, the product is flexible and changeable,And the creativity moves at will.



Model	Size
FPN-WTF4-2412	2400W*1200D*750H
FPN-WTF4-2812	2800W*1200D*750H

Configuration instructions:Main color: Gray maple
 Secondary color: imported warm white
 Desk screen: (Mia pure black edge) starry sky blue

1. Adopt the international brand "Fenglin" high-quality E0 grade environmentally friendly high-density particleboard;
2. Facing paper: Adopt the world-leading "German Schatt" facing paper; embossing adopts the German "Hook" steel plate, with delicate relief and obvious texture.
3. PVC edge banding: Adopt the German "Odeya" high-quality thick PVC edge banding, thickness $\geq 2\text{mm}$;
4. Glue: Adopt the German well-known brand "Henkel" hot melt adhesive brand;
5. Hardware accessories: Adopt the "Guanhui" brand high-quality hardware connectors, the exclusive supplier of Olympic living home hardware.
6. Steel frame table legs: Adopt "Baosteel" brand high-quality steel pipes

SERIES FEATURES

The middle foot is designed to be retracted, with large effective activity space and online function. The table is equipped with single and double side high-grade aluminum alloy socket box, with large capacity, which can be installed 4 national standard 86 sockets.



Routing system

The cover plate can be removed at any time without tools to facilitate wiring and circuit maintenance



「 Solid Wood Paint Series 」

You cannot just see any piece of furniture with your eyes. You must also feel it with both the palm and the back of your hand.

The fine and exquisite wood texture conveys messages of long-lasting serenity and generosity that spread out amidst the room without being noticed. These nostalgic oriental elements polished and reorganized by the use of modern technology, are now formed into a new Chinese style that is traditional, orthodox, sedate, classic, elegant and magnificent. Together they are mixed up, giving life a unique style to both life and work.





Simple exterior, extravagant interior. Every detail has been carefully designed to cater to your needs; elegant and unique design and consist

Simple exterior, extravagant interior. Every detail has been carefully designed to cater to your needs; elegant and unique design and consist



F8M281: W2800*D1100*H760mm
F8M241: W2400*D1000*H760mm

Base material: E0 grade board, paint + environmentally friendly paint-free board.
Finish: walnut veneer. The tabletop contains 1 HS020 wire cover, 1 HS020 multimedia wire box (its modules are: 1 power three-plug module, 1 15-core computer plug (hole) module, 1 network module, 1 telephone module)
Hardware: high-quality hardware accessories.
The desk is interchangeable on the left and right
The main desk is equipped with: movable sub-cabinet: 1570W*520D*655H: movable small cabinet: 420W*520D*655H



F5E201: W2000*D1000*H760mm

Base material: E0 grade board, paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.
The tabletop includes a central drawer and is equipped with 2 Ø60 coils.
The desk is interchangeable between left and right.
Paint + environmentally friendly paint-free board;
ZB movable side cabinet: 1540W*420D*655H, ZC movable small cabinet: 402W*482D*655H



The design of rounded corners can effectively avoid bumps and injuries, and the fretwork carving is of high quality. All the delicate details reveal the lingering charm of oriental artistic elegance, creating a serene and peaceful atmosphere. It's really refreshing and pleasing.



H6D161/H6D141
W1600*D800*H760mm
W1400*D700*H760mm

Base material: E0 grade board, fully painted.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.
The tabletop contains 2 Ø60 coils



F2A141/ F2A121
W1400*D700*H760mm
W1200*D600*H760mm

Base material: E0 grade board, paint + environmentally friendly paint-free board.
Finish: Walnut veneer. The tabletop includes 1 Ø60 wire box cover
Hardware: high-quality hardware accessories.
Paint + environmentally friendly paint-free board



F6Z161/F6Z141
W1400*D700*H760mm

Base material: E0 grade board, paint + environmentally friendly paint-free board.
Finish: walnut veneer.
The countertop includes 2 Ø60 wire box covers
Hardware: high-quality hardware accessories.
Two-drawer cabinet
Paint + environmentally friendly paint-free board



F6Z161B/F6Z141B
W1400*D700*H760mm

Base material: E0 grade board, Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.
Three-drawer cabinet
Paint + environmentally friendly paint-free board



Universal file storage system. Plates are designed to be in such a suitable size that they can be perfectly joined to each other and reasonably arranged based on the space required by office supplies. The front and back of each movable plate are made of homogeneous materials, and the spacing can be adjusted at will. Users can adjust the plate to have the most suitable storage space for themselves. A lock is equipped to the front to increase the safety and intactness of storage, saving users many worries.



FMY102/HMY102
W800*D400*H2000mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.
The upper wooden door has a built-in clothes hanger
The filing cabinet is divided into left and right



FMY103/HMY103
W1200*D400*H2000mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.
The upper wooden door has a built-in clothes hanger
The file cabinet is divided into left and right



FM16102/HM16102
W900*D445*H2000mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.
Wooden door with built-in clothes hanger,
Two-layer board, file cabinet is divided into left and right



FM16103/HM16103
W1350*D445*H2000mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.
Wooden door with built-in clothes hanger,
Two-layer board, file cabinet is divided into left and right



FM16202/HM16202
W900*D445*H2000mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board
Finish: walnut veneer.
Hardware: high-quality hardware accessories.
Paint + environmentally friendly paint-free board



FM16203/HM16203
W1350*D445*H2000mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board
Finish: walnut veneer.
Hardware: high-quality hardware accessories.
Paint + environmentally friendly paint-free board



Meeting mode of equality and harmony, meeting system of different combinations, easily adaptable to the needs of new communication modes. The meeting system can convert to various combinations of "square-type" or "bar-type" according to the scale and nature of the meeting.



FP-183
W800*D600*H1150mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.
The tabletop contains 1 Ø60 coil



FP-1612/ 1614
W1200*D400*H760mm
W1400*D400*H760mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



FP-12/FP-142
W1380*D400*H760mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.



FP-18
W1800*D400*H760mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.



HP-16
W1380*D450*H760mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



HP-1612
W1200*D400*H760mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



HP-18
W1800*D450*H760mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



Integrate the wisdom “Less is more” into everyday life and make it more spiritual. A large solid wood frame armrest with neat lines is comfortable, grand and graceful. The cut-and-formed-into-one-piece high-resilience sponge, integral spring-seat package, and soft leather fabric make the product even more comfortable.



Black cowhide/Western leather
W1260*D930*H860mm

Fabric: top layer yellow cowhide, environmentally friendly leather
Wood: imported rubber wood + environmentally friendly water-based paint
Inner frame: E1 grade multi-layer plywood + larch
Spring: high elastic serpentine spring + independent spring bag
Sponge: high resilience one-piece cut and molded sponge



Black cowhide/Western leather
W2160*D930*H860mm

Fabric: top layer yellow cowhide, environmentally friendly leather
Wood: imported rubber wood + environmentally friendly water-based paint
Inner frame: E1 grade multi-layer plywood + larch
Spring: high elastic serpentine spring + independent spring bag
Sponge: high resilience one-piece cut and molded sponge



ST1-0206
Black cowhide/Western leather
W950*D900*H850mm

Wood: Rubber wood veneer + water-based environmentally friendly paint
Inner frame: E1 grade multi-layer plywood + larch
Spring: High elastic serpentine spring + independent spring bag
Sponge: High resilience one-piece cut and molded sponge



ST3-0206
Black cowhide/Western leather
W1900*D900*H850mm

Wood: Rubber wood veneer + water-based environmentally friendly paint
Inner frame: E1 grade multi-layer plywood + larch
Spring: High elastic serpentine spring + independent spring bag
Sponge: High resilience one-piece cut and molded sponge




ST1-1032
Black cowhide/Western leather
W1000*D900*H840mm

Fabric: top layer yellow cowhide, environmentally friendly leather
Wood: imported rubber wood + environmentally friendly water-based paint
Inner frame: E1 grade multi-layer plywood + larch
Spring: high elastic serpentine spring + independent spring bag
Sponge: high resilience one-piece cut and molded sponge



ST3-1032
Black cowhide/Western leather
W2000*D900*H840mm

Fabric: top layer yellow cowhide, environmentally friendly leather
Wood: imported rubber wood + environmentally friendly water-based paint
Inner frame: E1 grade multi-layer plywood + larch
Spring: high elastic serpentine spring + independent spring bag
Sponge: high resilience one-piece cut and molded sponge



FQ-26
W600*D600*H420mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.



FQ-26
W1200*D600*H420mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.



HQ-61
W600*D600*H420mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



HQ-61
W1200*D600*H420mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



HQ-66
W600*D600*H450mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



HQ-66
W1200*D600*H450mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.

Here, nature can be endowed with a color, a thought, and an ideal state. The elaborate arrangement gives colorful delight to work. Although they are playing only supporting roles, they are perfect.



F-072
W800*D400*H860mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.



F-121
W1200*D400*H860mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.



F-092
W800*D400*H860mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.



F-122
W1200*D400*H860mm

Base material: E0 grade board,
Paint + environmentally friendly paint-free board.
Finish: walnut veneer.
Hardware: high-quality hardware accessories.



H-080
W800*D400*H850mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



H-120
W1200*D400*H850mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



H-082
W800*D400*H820mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



H-122
W1200*D400*H820mm

Base material: E0 grade board
Finish: walnut veneer.
Paint: high-quality environmentally friendly paint
Hardware: high-quality hardware accessories.



YTA-0938
Black cowhide/Western leather
W660*D650*H1170mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood armrest + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + serpentine spring
Chassis: first-level locking synchronous tilt chassis
Chair feet: solid wood five-star feet + universal wheels



YTB-0752
Black cowhide/Western leather
W620*D700*H970mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood armrest + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + serpentine spring
Chassis: first-level locking synchronous tilt chassis
Chair feet: solid wood five-star feet + universal wheels



YTA-0906
Black cowhide/Western leather
W680*D780*H1160mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood armrest + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + serpentine spring
Chassis: first-level locking synchronous tilt chassis
Chair feet: solid wood five-star feet + universal wheels



YTA-0812
Black cowhide/Western leather
W600*D800*H1100mm

Fabric: top layer yellow cowhide, environmentally friendly leather
Armrest: aluminum alloy armrest
Inner frame: mold cold pressed multilayer board
Sponge: high density sponge
Chassis: first level locking synchronous tilt chassis
Chair feet: aluminum alloy five-star feet + universal wheels



YTA-0922
Black cowhide/Western leather
W640*D700*H1180mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood armrest + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + serpentine spring
Chassis: first-level locking synchronous tilt chassis
Chair feet: solid wood five-star feet + universal wheels



YTA-1092
Black cowhide/Western leather
W660*D780*H1170mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood armrest + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + serpentine spring
Chassis: first-level locking synchronous tilt chassis
Chair feet: solid wood five-star feet + universal wheels



YTB-0716
Black cowhide/Western leather
W650*D700*H1000mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood armrest + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + serpentine spring
Chassis: first-level locking synchronous tilt chassis
Chair feet: solid wood five-star feet + universal wheels



YTC-0504
Black cowhide/Western leather
W640*D650*H990mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood chair frame + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + snake-shaped spring



YTC-0513
Black cowhide/Western leather
W460*D560*H910mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood chair frame + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + snake-shaped spring



YTC-1062
Black cowhide/Western leather
W460*D570*H860mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood chair frame + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + snake-shaped spring



YTC-0508
Black cowhide/Western leather
W570*D660*H900mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood chair frame + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + snake-shaped spring



YTC-1068
Black cowhide/Western leather
W600*D640*H900mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood chair frame + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + snake-shaped spring



YTC-1066
Black cowhide/Western leather
W500*D570*H920mm

Fabric: top layer yellow cowhide, eco-friendly leather
Wood: rubber wood chair frame + water-based eco-friendly paint
Inner frame: E1 plywood + larch
Sponge: high-density rebound sponge + snake-shaped spring



Seat function

Lumbar support: lift function


Armrest: fixed armrest

Generous and thick design, comfortable to sit on

LEATHER CHAIR


SIZE: 600*620*1175mm

- Fabric: imported high-quality yellow cowhide or branded leather veneer
- Headrest: PP+GF inner and outer glue fixed headrest + shaping cotton,
- Chair back: PP+GF inner and outer board back frame + shaping cotton
- Chair seat: multi-layer environmentally friendly plywood 12MM + shaping cotton
- Armrest: black PP one-piece armrest
- Chassis: 2.5 thick medium-shift butterfly chassis (can be locked in place and free function)
- Gas rod: stroke 100# countersunk 4 cm black three-level gas rod passed SGS certification
- Feet: $\phi 340$ MM nylon high feet passed static pressure 1136KG test
passed BIFMA test



SIZE: 600*620*970mm

- Fabric: imported high-quality yellow cowhide or branded leather veneer
- Chair back: PP+GF inner and outer panel back frame+setting cotton+ABS silver decorative cover
- Chair seat: multi-layer environmentally friendly plywood 12MM+setting cotton
- Armrest: black PP one-piece armrest
- Chassis: 2.5 thick medium-shift butterfly chassis (can be locked in place and free function)
- Gas rod: stroke 100# countersunk 4 cm black three-level gas rod passed SGS certification
- Feet: $\phi 340$ MM nylon high feet passed static pressure 1136KG test
- Casters: 60MM black PU wheels passed BIFMA test





SIZE: 720*660*1140mm

- Fabric: high-quality leather or Brazilian imported top-layer yellow cowhide veneer
- Headrest: fixed headrest
- Backrest: 18mm double-layer back split board + cutting cotton + soft bag filled with doll cotton, comfortable to sit
- Seat: multi-layer environmentally friendly plywood 12MM + cutting cotton
- Armrest: black PP one-piece armrest + soft leather armrest
- Chassis: medium-duty aircraft chassis (one-piece tilt and recline)
- Gas rod: 85# travel countersunk 3cm electroplated color three-level gas rod passed SGS certification
- Chair feet: $\phi 330$ electroplated square tube steel feet passed 1136KG static pressure test.
- Chair wheels: $\phi 60$ MM silent black-edged PU wheels



SIZE: 650*670*1235-1320mm

- Headrest: Fixed headrest filled with cutting cotton
- Backrest: 18mm thick double-layer board + cutting cotton
- Seat: 15mm seat board + cutting cotton
- Armrest: Aluminum alloy armrest frame, with leather armrest surface
- Chassis: Four-speed tilt and reclining locking function chassis
- Gas rod: 85mm travel, 40mm countersunk electroplated gas rod
- Chair feet: 350mm aluminum alloy round high feet
- Chair wheels: 60/25 black PU shockproof wheels



SIZE: 650*670*1015-1100mm



- Backrest: 18mm thick double-layer board + cutting cotton
- Seat: 15mm seat board + cutting cotton
- Armrest: Aluminum alloy armrest frame, with leather armrest surface
- Chassis: Four-speed tilt and reclining locking function chassis
- Gas rod: 85mm travel, 40mm countersunk electroplated gas rod
- Chair feet: 350mm aluminum alloy round high feet
- Chair wheels: 60/25 black PU shockproof wheels





SIZE: 690*620*1200mm

- High-quality leather or imitation leather or Brazilian imported first-layer yellow cowhide finish
- Multi-layer molded seat back
- 42 high-density high-rebound cutting new cotton
- Iron electroplated armrest frame, with leather armrest surface
- Mid-duty aircraft chassis (can be locked and free in place,
- Stroke 65# countersunk 4 cm electroplated color three-level gas rod passed SGS certification
- φ350 bread aluminum alloy feet passed 1136KG static pressure test.
- 60MMPU shockproof silent casters passed BIFMA anti-fatigue test



SIZE: 660*610*960mm

- High-quality leather or imitation leather or Brazilian imported first-layer yellow cowhide finish
- Multi-layer molded seat back panel
- 42 high-density high-rebound cutting new cotton
- Iron electroplated armrest frame, with leather armrest surface
- Mid-duty aircraft chassis (can be locked and free in place,
- Stroke 65# countersunk 4 cm electroplated color three-level gas rod passed SGS certification
- φ350 bread aluminum alloy feet passed 1136KG static pressure test.
- 60MMPU shockproof silent casters passed BIFMA anti-fatigue test

SIZE: 700*690*1095mm

- Fabric: high-quality leather or imitation leather or Brazilian imported top-layer yellow cowhide veneer
- Seat back: 18MM thick double-layer curved plate full leather
- Sponge: 42 high-density high-elasticity cutting new sponge
- Chassis: multi-function chassis, can be locked in 4 gears
- Gas rod: three-level 100-drawn 4cm electroplated rod, passed BIFMA
- Feet: $\Phi 370$ mm bread aluminum alloy feet, passed BIFMA stamping static pressure test
- Wheels: 60mm PU silent wheels, passed BIFMA anti-fatigue test



SIZE: 685*680*1100mm


- Fabric: high-quality leather or imitation leather or Brazilian imported top-layer yellow cowhide veneer
- Seat back: 18MM thick double-layer curved plate full leather
- Sponge: 42 high-density high-elasticity cutting new sponge
- 32-tube round tube 2.0 thick electroplated bow frame






SIZE: 690*640*980 mm


- High-quality leather or imitation leather or Brazilian imported top-layer yellow cowhide finish
- Multi-layer molded seat back panel
- 42 high-density high-rebound cutting new cotton
- Iron square tube electroplated armrest frame, with leather armrest surface
- Mid-duty aircraft chassis (can be locked in place and free,
- Electroplated third-level gas rod passed SGS certification.
- φ350 square tube electroplated feet passed 1136KG static pressure test.
- 38/50PA shockproof silent wheel passed BIFMA anti-fatigue test



SIZE: 730*650*1150mm


- High-quality leather or imitation leather or Brazilian imported first-layer yellow cowhide finish
- Multi-layer molded seat back panel
- 42 high-density high-rebound cutting new cotton
- Iron square tube electroplated armrest frame, with leather armrest surface
- Mid-duty aircraft chassis (can be locked and free in place,
- Stroke 65# countersunk 4 cm electroplated color three-level steam rod passed SGS certification
- φ350 square tube electroplated feet passed 1136KG static pressure test.
- 60MMPU shockproof silent casters passed BIFMA anti-fatigue test






SIZE: 660*620*1015-1070mm

- Backrest: 18mm thick inner and outer curved plates + cutting cotton
- Seat: 12mm single-layer seat curved plate + cutting cotton
- Armrest: Aluminum alloy movable one-piece armrest frame with PU armrest surface
- Chassis: 4-speed tilt and reclining locking function with tail chassis
- Gas rod: 65mm travel, 40mm countersunk electroplated gas rod
- Chair feet: 350mm aluminum alloy bread feet
- Chair wheels: 50/38 black PA shockproof wheels



SIZE: 565*630*1235-1305mm

- Headrest: Fixed headrest
- Backrest: Backrest adopts iron frame + cutting cotton
- Seat: 12mm single-layer seat plate + cutting cotton
- Armrest: Aluminum alloy square armrest, with PU armrest surface
- Chassis: Four-speed locking function chassis
- Gas rod: 85mm travel, 0cm countersunk electroplated gas rod
- Chair feet: 330mm aluminum alloy feet
- Chair wheels: 60/25 black PU shockproof wheels



SIZE: 640*620*1005mm


- Backrest: 18mm thick inner and outer curved plates + cutting cotton
- Seat: 12mm single-layer seat curved plate + cutting cotton
- Armrest: Aluminum alloy movable one-piece armrest frame with PU armrest surface
- Chair feet: 350mm aluminum alloy bread feet



SIZE: 675*600*965-1045mm

- Backrest: Backrest adopts iron frame + cutting cotton
- Seat: 12mm single-layer seat plate + cutting cotton
- Armrest: Aluminum alloy square armrest, with PU armrest surface
- Chassis: Four-speed locking function chassis
- Gas rod: 85mm travel, 0cm countersunk electroplated gas rod
- Chair feet: 330mm aluminum alloy feet
- Chair wheels: 60/25 black PU shockproof wheels






SIZE: 690*565*1060mm

- High-quality leather or imitation leather or Brazilian imported top-layer yellow cowhide finish
- 18MM thick split curved plate
- 42 density high elastic new cotton
- High-quality electroplated straight head frame, round flat 1.8 thick double sleeve with leather armrest surface



SIZE: 700*580*1010mm

- High-quality leather or imitation leather or Brazilian imported top-layer yellow cowhide finish
- Back and seat combined double-layer wooden board 18mm, back cotton high-density foam + doll cotton bag
- Seat high-density foam
- Seat backpack side perforated leather for breathability and comfort
- High-quality electroplated straight head frame, round flat 1.8 thick double sleeve
- Soft leather finish on the armrest for a comfortable feel




MESH CHAIR




SIZE: 620*580*990mm

- Headrest: PP frame + PA bracket, adjustable cotton headrest
- Backrest: PP + fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Black/white PP fixed lumbar support
- Armrest: 25-tube electroplated armrest frame + PP armrest surface, with aluminum alloy connectors
- Seat: one-piece molded sponge, high elasticity, high-quality breathable seat cloth, 12mm thick wood board
- Chassis: 2.5 thickened mid-shift butterfly chassis (can be locked in place and free and easy function)
- Gas rod: 85mm stroke electroplated third-level gas rod passed SGS certification
- Chair feet: 320mm square tube electroplated feet, passed 1136KG static pressure test
- Chair wheels: 50/25 black nylon wheels, shockproof and silent



SIZE: 620*580*900mm


- Backrest: PP + fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Black/white PP fixed lumbar support
- Armrest: 25-tube electroplated armrest frame + PP armrest surface, with aluminum alloy connectors
- Seat: one-piece molded sponge, high elasticity, high-quality breathable seat cloth, 12mm thick wood board
- Chassis: 2.5 thickened mid-shift butterfly chassis (can be locked in place and free function)
- Gas rod: 85mm travel electroplated three-level gas rod with SGS certification
- Chair feet: 320mm square tube electroplated feet, passed 1136KG static pressure test
- Chair wheels: 50/25 black nylon wheels, shockproof and silent






SIZE: 560*565*960mm

- Backrest: PP+fiberglass back frame, backrest has been tested with a thrust of 102kg, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Black PP fixed lumbar support
- Armrest: 25-tube electroplated armrest frame + PP armrest surface, with aluminum alloy connectors
- Seat: one-piece molded sponge, high elasticity, high-quality breathable seat cloth, 12mm thick wood board
- Chair frame: 25 round tube 2.0 thick high-quality steel pipe I-shaped frame, surface polished electroplating process, with aluminum alloy connectors.



SIZE: 540*640*905mm

- Backrest: PP+fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Black PP fixed lumbar support
- Armrest: PP lifting armrest frame + PU armrest surface.
- Seat: one-piece molded sponge, high elasticity, high-quality breathable seat cloth, 12mm thick wood board
- Chassis: in-situ locking first-level chassis.
- Gas rod: 85mm black third-level gas rod with SGS certification
- Chair feet: 320mm black PA feet, passed 1136KG static pressure test
- Chair wheels: 50/25 black nylon wheels






SIZE: 600*630*960mm

- Backrest: PP+fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elastic breathable encryption mesh
- Lumbar support: black/white PP fixed lumbar support
- Armrest: black PP+fiberglass split fixed armrest
- Seat: high rebound one-time molding sponge + bottom shell, high elasticity high-quality breathable seat cloth, 12mm thick wood board
- Chassis: with tail plate in-situ first-level locking chassis (can be locked in-situ and free function).
- Gas rod: 85mm stroke black third-level gas rod passed SGS certification
- Chair feet: $\phi 320$ black nylon feet passed 1136KG static pressure test.
- Chair wheels: 60mm black PU wheels



SIZE: 615*650*965mm


- Backrest: PP+fiberglass back frame, backrest has been tested with a thrust of 102kg, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Waistrest: black PP fixed waistrest
- Armrest: black PP+fiberglass split fixed armrest
- Seat: high resilience one-time molding sponge + bottom shell, high elasticity, high quality breathable seat cloth, 15mm thick wood board
- Chair frame: 25 round tube 2.0 thick high quality steel pipe with tail plate, black spraying process on the surface






SIZE: 610*640*1170mm

- Headrest: PP frame + PA bracket, liftable mesh head with hanger
- Backrest: PP + fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Waistrest: black PP movable waistrest
- Armrest: PP + fiberglass split fixed T-shaped armrest
- Seat: high resilience medium soft cutting sponge + seat shell, high elasticity, high quality breathable seat cloth, 12mm thick wood board
- Chassis: 518# with tail plate, first-level locking chassis in situ (can be locked in situ and free function)
- Gas rod: 100mm travel, 40mm countersunk, black third-level gas rod, SGS certified
- Chair feet: Ø340 black nylon feet, 1136KG static pressure test
- Chair wheels: 55MM black sand surface wheels




SIZE: 580*640*1000mm

- Backrest: PP+fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Lumbar support: black PP movable lumbar support
- Armrest: PP+fiberglass split fixed T-shaped armrest
- Seat: high resilience medium soft cutting sponge + seat shell, high elasticity high quality breathable seat cloth, 12mm thick wood board
- Chassis: 518# with tail plate in-situ first-level locking chassis (can be locked in-situ and free function)
- Gas rod: 100mm stroke, 40mm countersunk black third-level gas rod, SGS certified
- Chair feet: Ø340 black nylon feet, 1136KG static pressure test
- Chair wheels: 55MM black sand surface wheels



SIZE: 570*640*1040mm

- Headrest: PP frame + PA bracket, adjustable cotton headrest, leather finish
- Backrest: PP + fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Black PP fixed lumbar support
- Armrest: PP + fiberglass split fixed armrest
- Seat: high rebound medium soft cutting sponge, high elasticity high quality breathable seat cloth, 12mm thick wood board
- Chassis: 2.5 thickened medium shift butterfly chassis (can be locked in place and free function)
- Gas rod: 85mm travel, 40mm countersunk, black three-level gas rod, SGS certified
- Chair feet: 330mm black PP feet, passed 1000KG static pressure test
- Chair wheels: 55MM sanded nylon wheels



SIZE: 570*640*870mm


- Backrest: PP + fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Black PP fixed lumbar support
- Armrest: PP + fiberglass split fixed armrest
- Seat: high rebound medium soft cutting sponge, high elasticity high quality breathable seat cloth, 12mm thick wood board
- Chassis: 2.5 thickened medium shift butterfly chassis (can be locked in place and free function)
- Gas rod: 85mm travel, 40mm countersunk, black three-level gas rod, SGS certified
- Chair feet: 330mm black PP feet, passed 1000KG static pressure test
- Chair wheels: 55MM sanded nylon wheels






SIZE: 610*640*1170mm

- Headrest: gray-white PP frame + PA bracket, liftable mesh headband with hanger
- Backrest: gray-white PP + fiberglass back frame, backrest has been tested with a thrust of 102kg, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Waistrest: black PP movable waistrest
- Armrest: gray-white PP + fiberglass split fixed T-shaped armrest
- Seat: high-resilience medium-soft cutting sponge + seat shell, high-elasticity high-quality breathable seat cloth, 12mm thick wood board
- Chassis: with tail plate in-situ first-level locking chassis (can be locked in-situ and free-range function)
- Gas rod: 85mm stroke electroplated third-level gas rod passed SGS certification
- Chair feet: Ø330 aluminum alloy high feet passed 1136KG static pressure test
- Chair wheels: 60MM black PU shockproof silent wheels




SIZE: 580*640*1000mm

- Backrest: Off-white PP + fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Lumbar support: Black PP movable lumbar support
- Armrest: Off-white PP + fiberglass split fixed T-shaped armrest
- Seat: High-resilience medium-soft cutting sponge + seat shell, high-elasticity high-quality breathable seat cloth, 12mm thick wood board
- Chassis: In-situ first-level locking chassis with tail plate (can be locked in-situ and free-range function)
- Gas rod: 85mm stroke electroplated third-level gas rod passed SGS certification
- Chair feet: Ø330 aluminum alloy high feet passed 1136KG static pressure test
- Chair wheels: 60MM black PU shockproof and silent wheels



SIZE: 620*570*990mm

- Chair back: PP + fiberglass back frame, chair back has been tested with a thrust of 102kg, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Lumbar support: black PP movable lumbar support
- Armrest: PP + fiberglass split fixed T-shaped armrest
- Seat: high resilience medium soft cutting sponge + seat shell, high elasticity high quality breathable seat cloth, 12mm thick wood board
- Chair frame: Ø28 round 1.5 thick + casing high quality steel pipe bow frame, surface electroplating process, with gray-white PP armrest surface






SIZE: 590*670*1150mm

- PA frame mesh extra wide fixed headrest.
- Chair back: PA + fiberglass back frame, chair back has been tested with a thrust of 102kg, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Lumbar support: black PP movable lumbar support
- Armrest: PP lifting armrest frame + PU armrest surface
- Chair seat: high resilience medium soft cutting sponge + seat shell, high elasticity high quality breathable seat cloth, 12mm thick wood board
- Chassis: four-level locking chassis
- Gas rod: 100mm stroke, 40mm countersunk black three-level gas rod passed SGS certification
- Chair feet: Ø340 black nylon feet passed 1136KG static pressure test
- Chair wheels: 55MM black sand surface wheels




SIZE: 640*640*990mm

- Backrest: PA+fiberglass back frame, backrest tested with 102kg thrust, meets BIFMA test standards, high elasticity, breathable and encrypted mesh
- Lumbar support: black PP movable lumbar support
- Armrest: PP lifting armrest frame + PU armrest surface
- Seat: high resilience medium soft cutting sponge + seat shell, high elasticity high quality breathable seat cloth, 12mm thick wood board
- Chassis: four-level locking chassis
- Gas rod: 100mm stroke, 40mm countersunk, black three-level gas rod, SGS certified
- Chair feet: Ø340 black nylon feet, 1136KG static pressure test
- Chair wheels: 55MM black sand surface wheels



SIZE: 630*570*1010mm


- Overall PP plus fiberglass frame
- Fixed PP handrails
- 50 density high resilience new cotton
- 28 tubes 1.5 thick inner sleeve 1.8 tube electroplated frame
- Adjustable adaptive elastic waist support
- High elastic thickened horizontal stripe net finish
- High-grade wear-resistant skin-friendly elastic seat cloth






SIZE: 600*550*910mm

- Backrest: Off-white PP + fiberglass back frame, the backrest has been tested with a thrust of 102kg and meets the BIFMA test standard. It has a highly elastic breathable mesh and a PP fixed lumbar support to provide comfortable support.
- Armrest: 25-tube electroplated round tube + PP round surface fixed armrest + aluminum alloy connector.
- Seat: High-resilience medium-soft cut sponge, high-elasticity high-quality breathable seat cloth, 12 cm thick seat plate, and PP engineering plastic dustproof bottom shell.
- Chassis: 2.5 thickened mid-shift butterfly chassis (can be locked in place and free-range function)
- Gas rod: 85MMI countersunk 40MM electroplated third-level gas rod with SGS certification
- Chair feet: $\phi 320$ large cone tube electroplated feet
- Chair wheels: 60MM black PA shockproof silent wheels.




SIZE: 560*550*940mm

- Backrest: PP+fiberglass back frame, the backrest has been tested with a thrust of 102kg and meets the BIFMA test standard. It is made of highly elastic breathable mesh with lumbar support to provide comfortable support.
- Seat: Made of medium-soft high-elastic cutting sponge, high-elastic high-quality breathable seat fabric, 12 cm thick seat plate, with PP engineering plastic dustproof bottom shell.
- Chair frame: $\Phi 25$ round 1.5 thick + sleeve high-quality steel pipe quadripod, surface polished electroplating process, with PP round armrest surface + backrest aluminum alloy connector.



SIZE: 560*550*940mm


- Backrest: Black PP + fiberglass back frame, the backrest has been tested with a thrust of 102kg and meets the BIFMA test standard. It is made of highly elastic, breathable and dense mesh with a lumbar support to provide comfortable support.
- Seat: High-resilience medium-soft cut sponge, high-elasticity, high-quality breathable seat fabric, 12 cm thick seat plate, with PP engineering plastic dustproof bottom shell.
- Chair frame: $\Phi 25$ round 1.5 thick + sleeve high-quality steel pipe bow frame, surface polishing electroplating process, with PP round armrest surface + backrest aluminum alloy connecting parts






SIZE: 635*650*1080mm

- PP frame mesh headrest with lifting and semi-rotation functions.
- Backrest: PP+fiberglass back frame, the backrest has been tested with a thrust of 102kg and meets the BIFMA test standards. It has a highly elastic breathable mesh with a liftable lumbar support to provide comfortable support.
- Armrest: PU surface + PA bracket liftable 3D armrest.
- Seat: Made of medium-soft high-elastic shaping sponge, high-elastic high-quality breathable seat cloth, the seat plate is a 12 cm multi-layer curved plate, equipped with a PP engineering plastic dustproof bottom shell.
- Chassis: 3-speed locking chassis
- Gas rod: 85MM travel, 40MM countersunk black three-level gas rod, SGS certified.
- Chair feet: Ø340 black nylon feet, 1136KG static pressure test.
- Chair wheels: 60MM black PU nylon wheels.




SIZE: 610*650*960mm

- Backrest: PP+fiberglass back frame, the backrest has been tested with a thrust of 102kg, meets the BIFMA test standard, and is made of highly elastic, breathable and encrypted mesh with a liftable lumbar support to provide comfortable support.
- Armrest: PU surface + PA bracket liftable 3D armrest.
- Seat: Made of medium-soft, highly elastic and shaped sponge, high-elastic and high-quality breathable seat cloth, the seat plate is a 12cm multi-layer curved plate, equipped with a PP engineering plastic dustproof bottom shell.
- Chassis: 3-speed locking chassis.
- Gas rod: 85MM stroke, 40MM countersunk black three-level gas rod, SGS certified.
- Chair feet: Ø340 black nylon feet, 1136KG static pressure test.
- Chair wheels: 60MM black PU nylon wheels.



SIZE: 620*650*1000mm


- Chair back: PP + fiberglass back frame, chair back has been tested with a thrust of 102kg, meets BIFMA test standards, high elastic breathable mesh, with adjustable lumbar support, providing comfortable support.
- Armrests: PP + fiberglass thickened fixed armrests.
- Seat: Made of medium-soft high-elastic cutting sponge, high-elastic high-quality breathable seat cloth, seat plate is 12 cm multi-layer curved plate
- Chair frame: 25 round tube 2.0 thick high-quality steel tube with tail plate I-frame, surface is black spray paint process.






SIZE: 630*640*1120mm

- PP frame + PA bracket headrest, with lifting function.
- Backrest: PA + fiberglass back frame, the backrest has been tested with a thrust of 102kg, meets the BIFMA test standard, high elastic breathable encrypted mesh, with liftable front and rear lumbar support, providing comfortable support.
- Armrest: PP + fiberglass PU lifting armrest.
- Seat: Made of medium-soft high-elastic cutting sponge, high-elastic high-quality breathable seat cloth, the seat plate is a 12 cm multi-layer curved plate, equipped with PP engineering plastic dustproof bottom shell.
- Chassis: Three-speed locking chassis.
- Gas rod: 85MM stroke, 40MM countersunk black three-level gas rod passed SGS certification.
- Chair feet: Ø340 black nylon feet passed 1136KG static pressure test.
- Chair wheels: 60MM black PU wheels.



SIZE: 630*640*980mm


- Backrest: PA+fiberglass back frame, the backrest has been tested with a thrust of 102kg and meets the BIFMA test standard. It is made of highly elastic breathable mesh with adjustable front and rear lumbar support to provide comfortable support.
- Armrest: PP+fiberglass PU lifting armrest.
- Seat: Made of medium-soft high-elastic cutting sponge, high-elastic high-quality breathable seat cloth, the seat plate is a 12cm multi-layer curved plate, equipped with a PP engineering plastic dustproof bottom shell.
- Chassis: Three-speed locking chassis.
- Gas rod: 85MM stroke, 40MM countersunk black three-level gas rod, SGS certified.
- Chair feet: Ø340 black nylon feet, 1136KG static pressure test.
- Chair wheels: 60MM black PU wheels.





SIZE: 600*640*1010mm

- Backrest: PA+fiberglass back frame, the backrest has been tested with a thrust of 102kg and meets the BIFMA test standard. It is made of highly elastic breathable mesh with adjustable front and rear lumbar support to provide comfortable support.
- Armrest: PP+fiberglass PU lifting armrest.
- Seat: 42 density medium soft high elastic cutting sponge, high elastic high quality breathable seat cloth, the seat plate is a 12 cm multi-layer curved plate, without a bottom shell.
- 32 round tube 1.5 thick double sleeve high quality steel tube I-shaped frame, surface polished electroplating process.



SIZE: 610*570*940mm

- Chair back: Made of high-quality electroplated flat tube frame back edge strip, tube wall thickness of 1.5, surface polished electroplating process, all-black breathable plastic mesh surface, providing comfortable support.
- Armrest: Black fixed PP armrest surface.
- Chair seat: Made of medium-soft high-elastic cut pure new sponge, high-quality encrypted double-layer mesh surface, seat plate is 12 cm multi-layer curved plate,
- Chair frame: Square tube frame tube wall thickness of 1.2, surface polished electroplating process, strong and can withstand up to 300-500 catties



SIZE: 580*550*930mm

- Chair back: Made of high-quality electroplated flat tube frame back edge strip, tube wall thickness of 1.5, surface polished electroplating process, all-black breathable plastic mesh surface, providing comfortable support.
- Armrest: Black fixed PP armrest surface.
- Chair seat: Made of medium-soft high-elastic cut pure new sponge, high-quality encrypted double-layer mesh surface, seat plate is 12 cm multi-layer curved plate,
- Chair frame: 28 round tube frame with double tube reinforcement at the bend, outer tube 1.2 thickness sleeve inner tube 1.8 thickness, surface polished electroplating process, frame back connection are all metal iron parts connection, strong and can withstand up to 300-500 catties



Side Base: 1.5mm thickness cold rolled steel, electrostatic painting

Beam: 1.2-3.0mm thickness cold rolled steel, electrostatic painting

Castor: 2.5" PU castor



Bench specifications

L=1100/1300/ 1500/1700mm
W1=370mm
W2=610mm
H=725mm

Bench specifications

L1=1200/ 1400/1600/ 1800mm
L2=1000/1200/ 1400/1600mm
W1=400-600 W2=350mm
H=750mm

Side Base: 1.5mm thickness cold rolled steel, electrostatic painting

Beam: 1.2-3.0mm thickness cold rolled steel, electrostatic painting

Castor:2.5" PU castor



Bench specifications

L=1100/1300/ 1500/1700mm
W1=370mm
W2=610mm
H=725mm

Bench specifications

L1=1200/ 1400/1600/ 1800mm
L2=1000/1200/ 1 400/1600mm
W1=400-600 W2=350mm
H=750mm

Side Base: 1.5mm thickness cold rolled steel, electrostatic painting

Beam: 1.2-3.0mm thickness cold rolled steel, electrostatic painting

Castor: 2.5" PU castor



Bench specifications

L=1100/1300/ 1500/1700mm
W1=370mm
W2=610mm
H=725mm

Bench specifications

L1=1200/ 1400/1600/ 1800mm
L2=1000/1200/ 1400/1600mm
W1=400-600 W2=350mm
H=750mm

Side base: 1.5mm thickness cold rolled steel, electrostatic painting

Column and Beam: 1.2- 3.0mm thickness cold rolled steel, electrostatic painting.

Castor: 2.5" PU castor

Rotary folding mechanism



Bench specifications

L=410*300/ 540*725mm
W1 =300mm W2=540mm
H= 725mm

Bench specifications

L1=1600/1800mm
W1=400-600
H= 750mm



Training Chair

Enjoy the sway of a part of the creative freedom of the world,we design for you to purchase many fashion elements in thework environment, at work, in use, everywhere embodies your personality style.

TRAINING CHAIR SERIES


In order to reflect the user's contemporary aesthetic, improve the quality of the office environment,so that the office has more taste and personality.




- Backrest: Brand new imported PP+30% glass fiber material, wear-resistant and breathable mesh
- Seat: High elasticity and comfortable sponge, high elasticity and breathable seat cloth
- Armrest: PA+30% glass fiber, front and back sliding armrest
- Chair frame: 32.5*20.5*T1.5mmQ235 carbon steel tube footrest
- Foot pad: PA+15% glass fiber



- Backrest: New imported PA+fiberglass material, high elastic bamboo fabric back mesh
- Seat: 50 hardness, 60 density shaped sponge, high elastic breathable seat fabric
- Armrest: PA+30% fiberglass, front and back sliding armrest
- Chair frame: 20.5*32.5*T1.5mm high quality Q235 carbon steel chair frame
- Foot pad: $\Phi 50$ mm black PU silent wheel



- Backrest: New imported PA+fiberglass material, high elastic bamboo cloth back mesh
- Seat: 50 hardness, 60 density shaped sponge, high elastic breathable seat cloth
- Armrest: PA+30% fiberglass, front and back sliding armrest
- Writing board: PA+30% fiberglass thickened board, polished aluminum alloy rotating mechanism
- Chair frame: 20.5*32.5*T1.5mm high-quality Q235 carbon steel chair frame
- Foot pad: PA+15% fiberglass




IZE: 470*510*860mm

Chair body: Brand new imported engineering PP material + glass fiber material injection molding, surface sun grain treatment, good texture, chair back has been tested with a thrust of 102kg, in line with BIFMA test standards.
Chair frame: $\Phi 19$ *T1.8mm high-quality pipe quadripod, white surface with powder coating process, nylon non-slip foot pad, stackable

SIZE: 530*470*840mm

- Chair back/seat: Brand new imported PP material + glass fiber injection molding, surface sun grain treatment, good texture, chair back has been tested with a thrust of 102kg and meets BIFMA test standards.
- Chair frame: $\Phi 11.3$ mm solid steel frame, surface polished electroplating process, non-slip foot pads, stackable.






SIZE: 575*495*800mm

- Chair back/seat: Brand new imported PP material + glass fiber injection molding, surface sun grain treatment, good texture, chair back has been tested with a thrust of 102kg and meets BIFMA test standards.
- Chair frame: $\Phi 11.3$ mm solid steel frame, surface polished electroplating process, with non-slip foot pads with row function, stackable.



SIZE: 580*595*800mm


- Chair back/seat: Brand new imported PP material + glass fiber injection molding, surface sun grain treatment, good texture, chair back has been tested with a thrust of 102kg and meets BIFMA test standards.
- Chair frame: $\Phi 11.3$ mm solid steel frame, surface polished electroplating process, with non-slip foot pads with row function, stackable.






SIZE: 510*510*755mm

- Chair back/seat: Brand new imported engineering PP material + glass fiber material injection molding, surface sun grain treatment, good texture, chair back has been tested with a thrust of 102kg and meets BIFMA test standards.
- Chair frame: $\Phi 25 \times T1.5$ mm high-quality pipe quadripod, white surface with powder spray paint process, nylon non-slip foot pad, stackable



SIZE: 470*450*780mm

- Chair back/seat: Brand new imported PP material + glass fiber injection molding, surface sun grain treatment, good texture, chair back has been tested with a thrust of 102kg and meets BIFMA test standards.
- Chair frame: $\Phi 11.3$ mm solid steel frame, surface polished electroplating process, with non-slip foot pads with row function, stackable.





Augus



A variety of combinations, versatile personality, suitable for various scenarios. The trendy styling design presents a dynamic space atmosphere in soft tones.





Product name: Sofa
Product size: 180*77*85cm
Material description:
solid wood frame/density sponge
Surface treatment: leather finish



Product name: Bar chair
Product size: 52*49*99cm
Material description:
shaped cotton/solid wood legs
Surface treatment:
fabric finish can be customized



Product name: Coffee Table
Product size: 120*60*45cm
Material description:
MDF/solid wood legs
Surface treatment: panel sprayed with white paint



Product name: bar counter
Product size: 70*70*110cm
Material description:
solid wood board/metal feet
Surface treatment:
metal feet sprayed with black paint



Product name: Pouf product
Product size: 47*47*42cm
Material description:
Solid wood frame/density sponge
Surface treatment:
Cloth finish can be customized



Product name: Pouf
Product size: 45*40*42cm
Material description:
solid wood frame/density sponge
Surface treatment:
fabric surface can be customized



Product name: leisure chair
Product size: 72*66*47/81cm
Material description:
adjustable gas rod/aluminum alloy base
Surface treatment:
tripod electroplating color



Product name: Discussion table
Product size: medium 80*75cm
Material description:
MDF with wood veneer/metal feet
Surface treatment:
Metal feet sprayed with black paint










Product name: Special-shaped sofa
Product size: Medium 473*272*42/72cm
Material description:
Solid wood frame/density sponge
Surface treatment:
Finishing fabric can be customized




Product name: Pouf
Product size: 38*38*42cm
Material description:
Solid wood frame/density sponge
Surface treatment:
Finishing fabric can be customized



Product name: Side table
Product size: Medium 40*51cm
Material description:
Stone board/Hardware feet
Surface treatment:
Black stone panel, black paint on hardware feet



Product name: Side table
Product size: Medium 40*51cm
Material description: Rock board/Hardware feet
Surface treatment:
Black stone panel, black paint on hardware feet



Product name: Leisure chair
Product size: 72*66*47/81cm
Material description:
Shaped cotton/metal tripod
Surface treatment:
Metal tripod sprayed with black paint




Product name: Discussion table
Product size: medium 80*75cm
Material description:
MDF with wood veneer/metal feet
Surface treatment:
Metal feet sprayed with black paint






SIZE: 490*520*800mm

- Whole chair: Brand new imported PP material + glass fiber injection molding



SIZE: 510*505*805mm

- Chair body: Brand new imported engineering PP material + glass fiber material injection molding, surface sun grain treatment, good texture, chair back has been tested with a thrust of 102kg, in line with BIFMA test standards.
- Chair frame: $\Phi 16 \times T2.0$ mm high-quality pipe quadripod, surface sprayed with white technology, fixed nylon foot pads (automatically adjusted and stable), stackable.



SIZE: 510*435*805mm

- Chair body: Brand new imported engineering PP material + glass fiber material injection molding, surface sun grain treatment, good texture, chair back has been tested with a thrust of 102kg and meets BIFMA test standards.
- Chair frame: Natural beech solid round wooden feet, wooden feet diameter 30.8mm, PVC non-slip foot pads.






Product name: Special-shaped sofa
 Product size: 412*42/76cm
 Material description:
 Solid wood frame/density sponge/electroplating feet
 Surface treatment: Surface fabric can be customized



Product name: Pouf
 Product size: 48*50*52cm
 Material description: Solid wood frame
 Surface treatment:
 Finishing fabric can be customized



Product name: Side table
 Product size: Medium 40*51cm
 Material description: Rock board/Hardware feet
 Surface treatment:
 Black stone panel, black paint on hardware feet



Product name: Leisure chair
 Product size: 53*50*45/80cm
 Material description:
 Styling cotton/iron frame
 Surface treatment:
 Metal feet sprayed with black paint



Product name: Negotiation table
 Product size: Medium 80*75cm
 Material description: MDF/metal feet
 Surface treatment:
 Metal feet sprayed with black paint

